

Beer Judge Certification Program

5115 Excelsior Blvd, #326 St. Louis Park, MN 55416

www.bjcp.org

BJCP BEER EXAM STUDY GUIDE

Last Revised: August 28, 2012

Contributing Authors:

Original document by Edward Wolfe, Scott Bickham, David Houseman, Ginger Wotring, Dave Sapsis, Peter Garofalo, Chuck Hanning. Revised 2006 by Gordon Strong and Steve Piatz. Revised 2012 by Scott Bickham and Steve Piatz.

Copyright © 1998-2012 by the authors and the BJCP

CHANGE LOG

January-March, 2012 - revised to reflect new exam structure, no longer interim

May 1, 2012 - revised yeast section, corrected T/F question 99

August, 2012, removed redundant styles for question S0, revised the additional readings list, updated the judging procedure to encompass the checkboxes on the score sheet.

October 2012, reworded true/false questions 2, 4, 6, 8, 13, 26, 33, 38, 39, 42, and 118. Reworded essay question T15.

TABLE OF CONTENTS

I. INTRODUCTION	
Additional Reading	
General BJCP References	
Style Knowledge	
Communicating About Beer	
Beer Judging	
Written Proficiency	
II. BEER JUDGING AND THE BJCP EXAM	
A. The BJCP Guide	
The BJCP Exam	
Determining BJCP Judge Rank	
Advancing In BJCP Judge Rank	
Advancing in the BJCP	
Experience Points	
BJCP EXPERIENCE POINT AWARD SCHEDULE (Revised July 2005, July 2008)	
Exam Administration	
BJCP Administration	
B. Beer Evaluation and the Judging Process	
Beer Evaluation	
Environment	
Equipment	
Presentation	
The Judging Process	
Notes on Smelling the Beer	
Notes on Tasting the Beer	20
Notes on Making Comments about Beer	
Other Considerations	
References and Additional Reading	23
C. Important BJCP Reference Materials	24
D. The BJCP Exam	25
Overview	25
BJCP Exam Questions	
Example of a Complete Answer	
E. BJCP Exam Study Course	41
Guidelines for Doctoring Beers	44
III. BJCP STYLE GUIDELINES	45
A. Introduction	45
IV. INGREDIENTS AND THE BREWING PROCESS	47
A. Water	47
Alkalinity, pH and Hardness	47
Ions in Brewing	48
Famous Brewing Waters	48
Water Adjustment	49
Further Reading	49
B. Malts and Adjuncts	50
Barley Malt	50
Selection	50
Malting	51
Kilning	
Other Malted Grains	
Malt Content	52

Cereal Adjuncts	
Other Adjuncts	
Color	
Further Reading	
C. Wort Production	
Mashing	
Acid Rest	
Protein Rest	
Starch Conversion	
Mash-out	
Mashing Procedures	
Lautering	
Boiling	
Chilling	
Further reading	
D. Hops	
Introduction	
History	
Bitterness from hops	
First wort hopping.	
Varieties	
Further Reading	
E. Yeast and Fermentation	
Introduction	
The Yeast Life Cycle	
Control of Fermentation By-Products	
References	
F. Troubleshooting	
Introduction	
Acetaldehyde	
Alcoholic	
Astringency	
Bitterness	
Body	
Diacetyl	
DMS	
Estery/Fruity	
Grassy	
Head Retention	
Husky/Grainy	
Lightstruck/Skunky	
Musty	
Paper/Cardboard	
Phenolic	
Sherry-like	
Solvent-like	
Sour/Acidic	
Sulfury/Yeasty	
Sweet	

I. INTRODUCTION

Since the inception of the BJCP, several tools have been developed to help potential judges study for the exam. The most widely used are the study guides written by Chuck Cox and Greg Walz. The former was assembled in the early 1990s with the help of readers of the Judge Digest and consists of an outline of the information and terminology needed to pass the exam. The latter is a more verbose discussion of ingredients, brewing procedures and flavors as they relate to beer styles and judging. The outline version is valuable because it encourages independent study; however, the verbose version was used as the foundation for the first BJCP Study Guide because information could be added and updated without radically changing the presentation format.

This new edition of the BJCP Study Guide was written with a different approach that was motivated by the feedback and performance from those who have used other study guides. Most of these contain information that is outdated, incorrect or irrelevant to the types of questions asked on the exam. For example, a study guide should not be a tutorial on homebrewing, but should summarize the aspects of the brewing process that relate to beer flavors and styles. The information presented here was written by a group of technically proficient judges and brewers and tailored to the actual BJCP exam questions. The backgrounds of these authors are summarized at the end of the guide. The material has also been reviewed by the BJCP Exam Committee to ensure that it is technically correct and understandable. The goal was to prepare a document that is not only valuable in studying for the exam, but concise and complete enough to be used as a judging handbook. In addition, it is essential that this study guide be made freely available to potential judges. It is available for downloading in several formats on the BJCP website (http://www.bjcp.org).

The study guide begins with a section describing the BJCP and the motivation and mechanics behind the judging process. Also included are links to BJCP scoresheets, a comprehensive list of possible exam questions and an outline of a study course for beer judges. The BJCP style guidelines are introduced and discussed, and links to the guidelines are provided. Other study guides feature more complete style descriptions, but we found that many potential judges relied on that information as their sole reference for information about beer styles. This may be sufficient to pass the exam, but is no substitute for the wealth of information that is found in Michael Jackson's <u>Beer Companion</u> and <u>The New World Guide to Beer</u>, for example. The last major section of the study guide is a review of technical information about the brewing process and flavors in beer. Although this material was written with the exam questions in mind, it is no substitute for gaining an understanding of the brewing process by reading the references and putting that knowledge to practical use by actually brewing a batch of beer.

We hope that this study guide fulfills its goal of offering a complete, concise and understandable overview of the information needed to pass the exam. We recommend that it be used in conjunction with the following references to gain a complete understanding of beer styles, beer flavors and the brewing process. Good luck!

Note: Metric equivalents have been added for those outside the United States. The conversions have sometimes been approximated to produce round numbers.

Additional Reading

The additional readings are split into a number of categories focused on different areas that a BJCP Judge needs to be familiar with. First are the general BJCP items that apply to all judges in all situations followed by beer style knowledge and communicating about beer. The remaining areas are broadly divided up as important for either the Beer Judging Exam or for the Beer Judge Entrance Exam and Beer Judge Written Proficiency Exam (both the Entrance and Proficiency exam cover similar material). Within each of those broad areas the readings are further separated based on depth and complexity of coverage into basic, intermediate, and advanced.

General BJCP References

- 1. BJCP Style Guidelines, http://www.bjcp.org/stylecenter.php
- 2. BJCP Judge Procedures Manual, http://www.bjcp.org/judgeprocman.php
- 3. BJCP Beer Studies Beer Appreciation and Exam Preparation, http://www.bjcp.org/course/

Style Knowledge

The references by Michael Jackson and Roger Protz are broad ranging and touch on many different styles while the remaining items in this subsection focus on just a few related styles.

- 4. Michael Jackson, The New World Guide to Beer (Running Press, Philadelphia, 1988).
- 5. Michael Jackson, Beer Companion (Running Press, Philadelphia, 1997).
- 6. Michael Jackson, <u>Ultimate Beer</u> (DK Publishing, New York, 1998).
- 7. Michael Jackson, Great Beer Guide (DK Publishing, New York, 2000).
- 8. Michael Jackson, Michael Jackson's <u>Great Beers of Belgium</u> (Media Marketing Communications, Antwerp, 2005).
- 9. Michael Jackson, Eyewitness Companions: Beer, (DK Publishing, New York, NY, 2007).
- 10. Roger Protz, The Taste of Beer (Orion Publishing, London, 1998).
- 11. Terry Foster, Pale Ale, 2nd Ed. (Brewers Publications, Boulder, CO, 1999).
- 12. Terry Forster, Porter, (Brewers Publications, Boulder, CO, 1992).
- 13. Jean-Xavier Guinard , Lambic (Brewers Publications, Boulder, CO, 1990).
- 14. Darryl Richman, Bock, (Brewers Publications, Boulder, CO, 1994).
- 15. Greg Noonan, Scotch Ale, (Brewers Publications, Boulder, CO, 1993).
- 16. Eric Warner, German Wheat Beer (Brewers Publications, Boulder, CO, 1992).
- 17. Pierre Rajotte, Belgian Ale (Brewers Publications, Boulder, CO, 1992).
- 18. Michael Lewis, Stout (Brewers Publications, Boulder, CO, 1995).
- 19. Horst Dornbusch, Altbier (Brewers Publications, Boulder, CO, 1998).
- 20. Fal Allen and Dick Cantwell, Barleywine (Brewers Publications, Boulder, CO, 1998).
- 21. Horst Durnbusch, Bavarian Helles (Brewers Publications, Boulder, CO, 2000).
- 22. Ray Daniels and Jim Parker, Brown Ale (Brewers Publications, Boulder, CO, 1998).
- 23. Eric Warner, Kölsch (Brewers Publications, Boulder, CO, 1998).
- 24. David Sutula, Mild Ale (Brewers Publications, Boulder, CO, 1999).
- 25. Ray Daniels and Geoffrey Larson, Smoked Beer (Brewers Publications, Boulder, CO, 2001).
- 26. Phil Markowski, Farmhouse Ales (Brewers Publications, Boulder, CO, 2004).
- 27. Jeff Sparrow, Wild Brews (Brewers Publications, Boulder, CO, 2005).
- 28. Stan Hieronymus, Brew Like a Monk (Brewers Publications, Boulder, CO, 2005).

- 29. Stan Hieronymus, <u>Brewing with wheat: the "wit' and weizen" of world wheat beer styles</u>, (Brewers Publications, Boulder, CO, 2010).
- 30. Mitch Steele, <u>IPA: Brewing Techniques</u>, <u>Recipes and the Evolution of India Pale Ale</u>, (Brewers Publications, Boulder, CO, 2012).

Communicating About Beer

Beer judges need to be able to communicate about beer with others. That communication requires a good beer vocabulary and the ability to write succinctly about beer.

- 31. BJCP Vocabulary (development in process), http://www.bjcp.org/formervocab.php
- 32. A sample wine vocabulary, <u>http://en.wikipedia.org/wiki/Wine_tasting_descriptors</u>
- 33. Garret Oliver, Oxford Companion to Beer, (Oxford University Press, New York, NY, 2012).
- 34. William Strunk, E. B. White, <u>The Elements of Style</u>, 4th Edition, (Longman, Boston, MA, 1999)

Beer Judging

Basic Tasting/Judging Experience

The experience of critically evaluating beer provides the framework to judge beer well and excel on the Judging Exam. This is lumped into the catch all of Tasting/Judging Experience that can be private practice with just you, a beer and the Style Guidelines or structured taste workshops facilitated by someone else or contest judging where the learning opportunity is to listen to your co-judge.

35. BJCP Beer Faults, http://www.bjcp.org/faults.php

Advanced Judging Knowledge

- 36. Charlie Papazian, et al, Evaluating Beer (Brewers Publications, Boulder, CO, 1993).
- 37. Randy Mosher, <u>Tasting Beer</u>: An Insider's Guide to the World's Greatest Drink, (Storey Publishing, North Adams, MA, 2009).

Written Proficiency

Taking either the Beer Judge Entrance Exam or the Beer Judge Written Proficiency Exam requires learning a lot of details about beer and related topics. There are many references on how to learn material. Not all individuals are able to effectively learn by the same technique. The reference here touches on some of the different techniques useful to many people.

38. How to Memorize, http://www.wikihow.com/Memorize

Intermediate Brewing Technology

- 39. John Palmer, How to Brew, (Brewers Publications, Boulder, CO, 2006).
- 40. Dave Miller, Dave Miller's Homebrewing Guide (Garden Way Publishing, Pownal, VT 1996).

Advanced Brewing Technology

- 41. Gregory J. Noonan, <u>New Brewing Lager Beer</u> (Brewers Publications, Boulder, CO, 2003).
- 42. George Fix, <u>Principles of Brewing Science</u>, 2nd Edition (Brewers Publications, Boulder, CO, 1999).
- 43. George and Laurie Fix, <u>An Analysis of Brewing Techniques</u>, (Brewers Publications, Boulder, CO, 1997).
- 44. Chris White, Jamil Zainasheff, <u>Yeast: The Practical Guide to Beer Fermentation (Brewing Elements)</u>, (Brewers Publications, Boulder, CO, 2010).
- 45. *Brewing Techniques* (New Wine Press, Eugene, OR). Contains a wealth of information about the ingredients, history and flavors in beer. While no longer being published some articles are available at www.brewingtechniques.com.

College Level Brewing Technology

- 46. Wolfgang Kunze, <u>Technology Brewing and Malting</u>, 4th International Edition in English, (VLB, Berlin, Germany, 2010).
- 47. Jean de Clerck, <u>A textbook of brewing, Volume 1</u>, (Siebel Institute of Technology, 1957).
- 48. Jean de Clerck, <u>A textbook of brewing, Volume 2</u>, (Siebel Institute of Technology, 1957).
- 49. Dennis Briggs, et al, Brewing Science and Practice, (Woodhead Publishing, Boca Raton, FL, 2004).
- 50. Michael Lewis and Tom Young, Brewing, (Aspen, New York, NY, 2001).

Recipe Formulation

- 51. Ray Daniels, Designing Great Beers (Brewers Publications, Boulder, CO, 1996).
- 52. Jamil Zainasheff and John Palmer, <u>Brewing Classic Styles</u> (Brewers Publications, Boulder, CO, 2007).
- 53. Gordon Strong, Brewing Better Beer, Chapter 6, (Brewers Publications, Boulder, CO, 2011).

Brewing History

- 54. Roger Protz, The Ale Trail (Eric Dobby Publishing, Kent, 1995).
- 55. Horst Dornbusch, Prost! The Story of German Beer (Brewers Publications, Boulder, CO, 1997).
- 56. Gregg Smith, The Beer Enthusiast's Guide (Storey Communications, Pownal, VT, 1994).
- 57. Charles Bamforth, Beer: Tap into the Art and Science of Brewing (Plenum Press, New York, 1998).
- 58. Clive La Pensée, Roger Protz, <u>India Pale Ale: Homebrew Classics</u>, (CAMRA, St. Albans, England, 2001).
- 59. Clive La Pensée, Roger Protz, <u>Stout & Porter: Homebrew Classics</u>, (CAMRA, St. Albans, England, 2003).
- 60. John Tuck, <u>The Private Brewer's Guide To The Art of Brewing Ale And Porter</u>, (Simpkin & Marshall, London, England, 1822, reprinted by Zymoscribe, Woodbridge, CT, 1995).
- 61. M. L. Byrn, <u>The Complete Practical Brewer</u>, (Henry Carey Baird, Philadelphia, PA, 1852, reprinted by Raudins Publishing, Chagrin Falls, OH, 2002).
- 62. W. H. Roberts, <u>The Scottish Ale Brewer and Practical Maltster</u>, (A. and C. Black Whitttaker Company, London, England, 1847, reprinted by Raudins Publishing, Chagrin Falls, OH, 2003).
- 63. W. Brande, <u>The Town and Country Brewery Book</u>, (Dean and Munday, London, England, circa 1830, reprinted by Raudins Publishing, Chagrin Falls, OH, 2003).
- 64. Michael Combrune, <u>The Theory and Practice of Brewing</u>, (Worshipful Company of BREWERS, 1762, reprinted by Raudins Publishing, Chagrin Falls, OH, 2004).
- 65. Robert Wahl, Max Henius, <u>American handy-book of the brewing, malting and auxiliary trades</u>, (Wahl & Henius, Chicago, IL, 1902) also available on Google Books.
- 66. History of Beer, <u>http://en.wikipedia.org/wiki/History_of_beer</u>

II. BEER JUDGING AND THE BJCP EXAM

The most complete and current information about the BJCP can be found on the BJCP web site (<u>http://www.bjcp.org</u>). The Member Resources section contains a wealth of information about the organization's background, history and evolution.

A. The BJCP Guide

The Beer Judge Certification Program (BJCP) is a non-profit organization that encourages the advancement of education of people who are concerned with the evaluation of beer and related fermented products. The BJCP certifies Beer and Mead judges, and ranks beer judges through an exam and monitoring process.

The program was created in 1985 through the joint efforts of the Home Wine and Beer Trade Association (HWBTA) and the American Homebrewers Association (AHA). Since 1995, the BJCP has operated independently of either founding organization, governed only by its membership of participating judges.

In 1985, some 30 people took the BJCP beer exam and became certified. Since that first exam, over 200 judges have joined the ranks annually. At this time (March 2012), there are about 4,000 judges active in the BJCP and a total membership of over 6,500.

The purpose of the BJCP is to promote beer literacy and the appreciation of real beer, and to recognize beer tasting and evaluation skills.

The BJCP Exam

Prior to April 2012, the BJCP beer exam was comprised of two parts: essay and tasting, which were completed in a three hour time period. The essay portion was worth 70 percent of the final score and was designed to determine an individual's overall knowledge of beer and his or her ability to clearly express the information in writing. The tasting portion of the exam was worth 30 percent of the final score, and each candidate was asked to judge four beers as he or she would at a competition. To score well on the tasting portion, the prospective judge must accurately score the beer and describe all significant aspects of it, as well as comment on style characteristics. That examination system that existed prior to April 1, 2012 is now called the **BJCP Legacy Beer Examination**.

Beginning in 2009, the BJCP experienced a rapid growth in the number of prospective judges taking the exam, and this continued through 2011 with over 750 exams being administered annually. This growth produced a large number of essay exams, which were manually graded by volunteer National and Master judges. This is a very labor-intensive and time-consuming process, and even though new graders were constantly being recruited, the backlog of exams forced the BJCP to limit both the number of exam sites and the number of examinees at each site. This was not a sustainable situation, so beginning in April 2012, the BJCP revised the exam system to better meet the needs of the current and future membership. The key addition was a web-based entrance exam, which is electronically graded and serves the purpose of establishing the readiness of a prospective judge to take a proctored tasting exam.

The revised BJCP beer exam now consists of three parts:

- 1. The **BJCP Beer Judge Entrance Examination** a web-based entrance exam, which is pass/fail with multiple choice, true-false and multiple answer questions. This entrance exam must be passed to enable a prospective judge to register for the tasting exam.
- 2. The BJCP Beer Judging Examination a proctored beer judging exam, in which the prospective judge must evaluate six beers rather than the four beers that were judged in the legacy BJCP exam. This judging exam qualifies a judge for only the Apprentice, Recognized, and Certified judging ranks, using the same criteria that were previously used for the legacy combined essay/tasting exam. The tasting exam has the same format as exams administered prior to April 2012, but with six beers to be evaluated in a 90 minute time period.
- 3. The **BJCP Beer Judge Written Proficiency Examination** a written proficiency exam, which is available to judges who have scored at least 80% on the tasting exam and have accumulated at least ten judging experience points. The **BJCP Beer Judge Written Proficiency Examination** is closed book and consists of two sections. The first section tests familiarity with the BJCP and the judging process, consists of 20 true/false questions about judging and the organization. Correct answers earn no points, but each incorrect answer results in a 0.5 point deduction from the overall exam score. On the second section there are five essay questions. These questions are drawn from the same set of questions that was used for the essay portion of the **BJCP Legacy Beer Examination**. The questions in section two are each worth 20 percent of the total exam score.

A comprehensive exam score is calculated based on a 50/50 weighting of the judging and written exams. This score, combined with experience points and Grand Master Service Requirements, can qualify the judge for the National, Master and Grand Master judging ranks.

The web-based **BJCP Beer Judge Entrance Examination** and **BJCP Beer Judge Written Proficiency Examination** cover the same topics that were the basis for the **BJCP Legacy Beer Examination**, including:

- Technical aspects of brewing, ingredients, brewing process and possible faults.
- World beer styles, including characteristics, history, ingredients and brewing techniques.
- The purpose of the BJCP and the criteria for the judging ranks.
- Judging procedures and ethics, taken from the BJCP Judge Procedures Manual.

The primary reference that defines any aspects of the beer styles appearing in the written exam is the 2008 BJCP Style Guidelines. In preparing for the exam, a prospective judge should acquire a broad understanding of beer styles, know different brewing methods, and understand how brewing methods correlate with style and flavor. Brewing processes should be understood to the point where one can intelligently discuss various techniques and ingredients and how they may have affected the beer being sampled. Frequent tasting of commercial beers will help the judge gain further understanding of style differences.

In the remainder of this document, the following abbreviated names are sometimes used:

- The Beer Entrance Exam BJCP Beer Judge Entrance Examination
- The New Beer Tasting Exam BJCP Beer Judging Examination
- The Legacy Beer Exam BJCP Legacy Beer Examination
- The New Beer Essay Exam BJCP Beer Judge Written Proficiency Examination

Determining BJCP Judge Rank

Judges vary widely in their skill and experience. As a result, the BJCP recognizes various levels of accomplishment. An individual's level of certification is determined by two factors: exam score and experience points earned through AHA/BJCP Sanctioned Competition Program events. The different levels and the criteria for achieving them are outlined below. Complete details are provided at http://www.bjcp.org/membergd.php.

The introduction of the changes to the BJCP Beer Exam program on April 1, 2012 does not result in any change to the rank or exam scores for any BJCP judge that was already a BJCP judge as a result of taking the **Legacy Beer Exam** prior to April 1, 2012. For judges that entered the program by passing the **Legacy Beer Exam**, the method of advancement does not change and the method of determining their composite exam score will not change automatically.

For judges that entered the BJCP by taking their first BJCP exam on or after April 1, 2012, they start the path to becoming a BJCP judge by passing the **Beer Entrance Exam**. For these members, once they take the **New Beer Tasting Exam**, their BJCP judge rank will be determined by their score on the **New Beer Tasting Exam** and their experience points. In the table below, their composite exam score is just their score on the **New Tasting Exam**.

For BJCP judges that entered the BJCP by passing the Legacy Beer Exam and that have a rank of Recognized or higher, they do not have to take the Beer Entrance Exam unless their score on the essay portion of the Legacy Beer Exam is less than 60%. Their existing essay and tasting scores are retained and continue to be used to determine their BJCP judge rank. They continue to determine their BJCP Judge rank using their composite Legacy Beer Exam score that combines the essay and tasting scores in a 70/30 ratio. Their existing BJCP Judge rank is retained.

Recognized judges who have passed either the essay portion of the **Legacy Beer Exam** or the **Beer Entrance Exam** can also advance to Certified by scoring 70 or higher on the **New Beer Tasting Exam**, and by having sufficient experience points.

No member can achieve the rank of BJCP National Judge or higher without taking either the **New Beer** Essay Exam or the essay portion of the Legacy Beer Exam.

For judges that initially took the **Legacy Beer Exam**, their composite score continues to be determined using their highest essay and tasting scores from the **Legacy Beer Exam** combined in a 70/30 ratio. Once they take either the **New Beer Essay Exam** or the **New Beer Tasting Exam** with a score improvement over their score on the equivalent portion of the Legacy Beer Exam then their composite score will be determined by combining their essay and taste scores in a 50/50 ratio. The new 50/50 ratio will apply even if only one of their two scores is improved.

Advancing In BJCP Judge Rank

As of April 1, 2012 only the **Beer Entrance Exam**, the **New Beer Tasting Exam** and the **New Beer Essay Exam** are offered. **The Legacy Beer Exam** will never be offered again, no exceptions.

New participants enter the program by first taking the **Beer Entrance Exam**. After passing the **Beer Entrance Exam**, a participant is considered a Provisional Judge. They may remain a Provisional Judge for up to one year during which time they need to pass the **New Beer Tasting Exam** or they cease to be a Provisional Judge. Once they pass the **New Beer Tasting Exam**, their tasting score on that exam

is used to determine their BJCP rank. However, they cannot advance beyond the BJCP rank of Certified without taking the **New Beer Essay Exam**.

Pre-existing, non-Apprentice Judges

Pre-existing non-Apprentice judges are those that have a BJCP rank of Recognized or higher as a result of taking the **Legacy Beer Exam** prior to April 1, 2012. These judges do not have to take the BJCP Entrance Examination unless their essay score on the **Legacy Beer Exam** is less than 60%. Their existing judging and tasting scores are retained.

The introduction of the new examinations does not trigger an automatic re-weighting of existing scores to calculate a new total score. Triggering a recalculation of a new total score, for any individual judge, only happens when they retake one component of the new examinations, and only then if the retake score is greater than or equal to the score for that component on the **Legacy Beer Exam**.

These judges advance in rank based on the combination of their highest essay and highest tasting scores just as with the legacy examination. The scores are weighted at 70/30 until they retake either the **New Beer Tasting Exam** or the **New Beer Essay Exam**. If the retake score is at least as high as the previous highest score on that component of the exam, the weighting changes to 50/50. Otherwise, the weighting remains at 70/30 until at least one of the component scores based on either their score on the **New Beer Tasting Exam** or the **New Beer Essay Exam** at least equals their equivalent score on the equivalent part of the **Legacy Beer Exam**.

Recognized judges who have passed either the essay portion of the Legacy Beer Exam or the Beer Entrance Exam can also advance to Certified by scoring 70 or higher on the New Beer Tasting Exam, and by having sufficient experience points.

Pre-existing Active Apprentice Judges

Apprentice Judge is not a permanent BJCP rank. Apprentice status will have a two-year lifetime. Apprentice Judges must pass the **New Beer Tasting Exam** within two years or they will have to start over as new entrants to the program.

Active BJCP Apprentice Judges that have both essay and tasting scores under 60% under the **Legacy Beer Exam** will first need to pass the **Beer Entrance Exam** and then the **New Beer Tasting Exam**, just like new entrants to the program. However, special cases for Active BJCP Apprentice Judges exist for those that may have scored a 60% or higher on either the essay or the tasting portion of the **Legacy Beer Exam**.

Active BJCP Apprentice Judges who scored less than 60% on the tasting portion of the Legacy Beer Exam and with a minimum of 60% in the essay portion of the Legacy Beer Exam must pass the New Beer Tasting Exam to advance. These judges do not have to take the Beer Entrance Exam.

Active BJCP Apprentice Judges who scored at least 60% on the tasting portion of the **Legacy Beer Exam** but have an essay score below 60% under the **Legacy Beer Exam** must pass the **Beer Entrance Exam** to advance to Recognized. These judges will not need to take the **New Beer Tasting Exam** to advance but when they pass the **Beer Entrance Exam** they must notify the BJCP Exam Director (exam director@bjcp.org) in order to be promoted from the Apprentice rank – this promotion is not automatic. For promotions higher than Recognized, the **New Beer Tasting Exam** must be taken.

Pre-existing Inactive Apprentice Judges

BJCP Apprentice Judges that were not listed as "active" members in the BJCP database on April 1, 2012 as a result of taking the **Legacy Beer Exam** prior to April 1, 2012 are treated as new entrants into the program and must first pass the **Beer Entrance Exam** and then pass the **New Beer Tasting Exam** to advance.

BJCP Judge Rank	Minimum Composite Score	Must take New Essay or Legacy Essay	Minimum Experience Points ¹	GMSR Required ²
Apprentice ³	<60	No	0	No
Recognized	60	No	0	No
Certified	70	No	5	No
National	80	Yes	20	No
Master	90	Yes	40	No
Grand Master	90	Yes	100	Yes
Additional Grand Master levels	90	Yes	100 additional for each additional level	Yes ⁴

Judge Requirements

In addition to the above BJCP ranks that are the result of taking the BJCP exams, the following special ranks exist that are not associated with scores from taking the BJCP Beer Exams.

- HONORARY MASTER is temporarily bestowed on judges who serve as operatives of the program (Regional Director, Exam Director, Program Administrator, etc.) at their discretion for the duration of their service if they have not already earned at least the Master rank. The rank may also be awarded, in special cases, to judges who have demonstrated Master Judge proficiency but who have not necessarily taken the exam. This status is determined by the BJCP Board of Directors.
- HONORARY GRAND MASTER Created in 2005, this is a permanent rank bestowed upon individuals by the BJCP Board of Directors for extraordinarily long and meritorious service involving significant, meaningful and continuous work for the BJCP program. Individuals receiving this rank are authorized to wear and use the Grand Master pin and rank.

¹ At least 50% of the experience points must be judging experience points.

² See <u>http://www.bjcp.org/gmsr.php</u>

³ The Apprentice rank is not a permanent BJCP rank. Apprentice status has a two-year lifetime to allow an Apprentice to advance to Recognized rank or higher by passing the appropriate examinations.

⁴ Each additional Grand Master level requires an additional GMSR.

A person who has not taken a BJCP exam but who judges in competitions is generally referred to as a **Non-BJCP Judge**. This is <u>not</u> an official BJCP rank, but this description is used on the BJCP scoresheets. The term "Novice" is no longer used.

A *Provisional Judge* is someone who has taken the **BJCP Beer Judge Entrance Examination**, but has not passed the **BJCP Beer Judging Examination**. This person is <u>not</u> a BJCP judge. The Provisional rank is not permanent, and Provisional judges have one year to pass the **New Beer Tasting Exam**.

Advancing in the BJCP

Because both beer exam scores and experience points determine the level of recognition achieved in the BJCP, a judge should strive to meet both types of criteria on an ongoing basis. A judge may wish to retake either or both portions of the exam order to achieve the higher score necessary to advance to the next level. A judge will become inactive if no experience points are recorded for two years. This policy encourages judges to maintain their skills and assures competition organizers that they are using experienced judges with up-to-date knowledge of beer styles and judging practices. When promoted to a new rank, the judge receives a handsome certificate and a wallet-size card showing the date of award and level of recognition.

The mead exam has different advancement rules, but these are not covered on the beer exam. If you are interested in the details, see the BJCP Mead Exam Study Guide.

Experience Points

The BJCP awards experience points to judges and staff who participate in AHA/BJCP Sanctioned Competition Program events or in BJCP exams. The point award varies depending on the size of the event and the job an individual performs. There are two groups of experience points: Judging points and Non-Judging points.

Individuals earn Judging points for actually judging in a registered competition, including Best-of-Show (BOS) judging. Individuals earn Non-Judging points for serving (or assisting) as a competition organizer, a steward, an administrator (or assistant) for a BJCP exam, or participating in a Continuing Education Program. While competition organizers may use their discretion in deciding to whom and how many Staff points they allocate, Judge points must be earned by the individual receiving them and cannot be allocated.

A judge will be placed on an inactive list if no experience points are recorded for two years. This policy encourages judges to maintain their skills and assures competition organizers that they are using experienced judges with up-to-date knowledge of beer styles and judging practices.

As of 2006, the AHA and BJCP have merged the separate competition programs into a single unified program: the AHA/BJCP Sanctioned Competition Program. All past BJCP or AHA events will continue to be recognized. The point award schedule for the program is as follows:

BJCP EXPERIENCE POINT AWARD SCHEDULE (Revised July 2005, July 2008)

Program Participants are individuals who perform an active role in a BJCP-sanctioned competition. Important categories of program participants are organizers, judges, best-of-show judges, stewards and staff. Each has different rules that govern the awarding of experience points.

Organizers are the only program participants to receive Organizer points, which are non-judging points that are allocated based on the total number of competition entries as shown in Table 1. Any other program participant is eligible to receive any combination of Judge, Best-of-Show Judge, Steward, or Staff points in a single competition, except as noted. However, the total points (judging plus non-judging points) awarded to any program participant may not exceed (but may equal) the points designated for the Organizer of the competition.

Judges earn points at a rate of 0.5 judging points per session, but the following limitations apply:

- Judges earn a *minimum* of 1.0 point per *competition*.
- Judges earn a *maximum* of 1.5 points per *day*.

The total number of judging points a judge may earn in a competition is limited by the organizer points, and is shown in Table 1.

Best-of-Show (**BOS**) **Judges** are eligible to receive a 0.5 judging point bonus if they judge in any BOS panel in a competition. The BOS bonus is in addition to any other judging and non-judging points earned in the competition, and may only be awarded to a single judge once per competition. BOS points may only be awarded if a competition has at least 30 entries in at least five beer and/or three mead/cider categories.

The number of judges eligible to receive the BOS bonus is correlated to the number of entries in each BOS panel as follows:

- 5-14 entries, including beer = 3 BOS Judges
- 3-14 meads and/or ciders (only) = 3 BOS Judges
- 15 or more entries of any type or combination = 5 BOS Judges

This limitation applies to each individual BOS panel. Competitions may seat separate homebrew, commercial and mead and/or cider BOS panels, if desired.

A best-of-show judge receives the BOS bonus if the judge judges at least one other flight. If the judge only judges in a BOS panel, the 1.0 point competition minimum is earned.

Stewards receive 0.5 non-judging points per day with a maximum of 1.0 point per competition. Participants may not earn both Judge and Steward points in a single competition. Steward points are awarded separately from Staff points and do not come from the Staff point pool shown in Table 1. A program participant may earn both Steward and Staff points.

Staff Points are non-judging points awarded by the Organizer to one or more program participants in minimum increments of 0.5 points. The sum of all staff points awarded to all program participants may not exceed the Table 1 Staff point maximum.

Note: In order to maintain competition integrity, staff members with access to entry data should refrain from judging as they may be able to associate entry numbers or entry descriptions with an entrant's identity.

# of Entries	Organizer	Staff*	Judge
1 – 49	2.0	1	1.5
50 - 99	2.5	2	2.0
100 – 149	3.0	3	2.5
150 – 199	3.5	4	3.0
200 - 299	4.0	5	3.5
300 - 399	4.5	6	4.0
400 - 499	5.0	7	4.5
500 - 599	6.0 Max	8	5.5 Max
		+1 staff point for each additional 100 entries	

TABLE 1 — Maximum Points Earned

*Note: The Staff point numbers represent the total points which can be awarded to all staff members collectively. No single person can receive more total points than the Organizer. For each 100 entries over 500 one additional staff point may be awarded. Organizer points are capped at 6, regardless of competition size.

DEFINITIONS

COMPETITION — An event held in a single geographical area where beer and possibly other fermented beverages are formally evaluated against a set of pre-defined style guidelines or category descriptions for the purpose of constructive feedback and acknowledgment of excellence. A competition is comprised of one or more sessions spanning one or more days.

DAY — A calendar date when judging is held. Competitions may take place on one or more days, and the days do not have to be contiguous.

SESSION — An uninterrupted time period when at least one panel of judges sits to judge one or more flights of entries.

FLIGHT — A single grouping of entries that are combined for the purposes of judging, that are evaluated by a single panel of judges, and that result in a ranked ordering for purposes of determining awards. In large competitions, a single category may be divided into multiple flights with the overall winner determined in a Mini-BOS round.

MINI-BOS ROUND — A subsequent flight within a session during which judges compare the leading entries of two or more separate flights in order to determine overall class or category winners. This shall not qualify as a separate session for the purpose of awarding points.

BEST OF SHOW (BOS) PANEL — A single session awarding top honors for a competition from at least five beer category winners or three mead and/or cider winners.

ORGANIZER — The single program participant who completes and signs the application to register or sanction a competition and who in all ways assumes responsibility for the direction of that competition.

JUDGE — Any program participant who evaluates entries, completes scoresheets, and determines the final score and rank of entries in a flight.

BOS JUDGE — A program participant who evaluates entries and selects a winner during a BOS panel. **MEAD JUDGE** — A person who has taken the mead exam and scored 60% or higher. This person may also be a beer judge although taking the beer exam is not a requirement.

STEWARD — A program participant who assists judges, obtains entries and supplies, handles paperwork, and manages the competition logistics at a judging table.

STAFF — Program participants who, under the direction of the Organizer, perform an active role in support of the competition other than as a Judge, Steward, or BOS Judge. These duties include, but are not limited to, Assistant Organizer, Head Steward, Registrar, Cellarmaster, Table Captain, Data Entry, Head Judge, Lunch Caterer, and Committee member. Direct participation is required to earn Staff points; passive participation by individuals who provide websites, software, materials, or other indirect services are not eligible to receive points.

Exam Administration

Exam administrators must be approved by a BJCP Exam Director. The administrator receives two *non-judging* experience points and ten GMSR credits per exam, regardless of the number of exam takers. This system was revised in 2005 as part of the implementation of new <u>GMSR rules</u>. The administrator may not proctor the tasting exam, unless the administrator has no knowledge of the exam beers being served. One person may not receive both administrator and proctor points for the same judging exam, but it is possible to earn administrator points for the written proficiency exam and proctoring points for the judging exam.

A minimum of two proctors is required for holding the **BJCP Beer Judging Examination**. Additional details about who can serve as a proctor for the New Beer Tasting Exam are available at <u>http://www.bjcp.org/examschproc.php</u>.

The exam administrator is responsible for making a copy of all examinations before sending the originals to the Exam Director. These copies should be retained until the exam administrator has heard from the Exam Director that the originals have been properly received. Once the Exam Director has received the originals, the exam administrator should provide a copy of each examinee's individual exam to them, each examinee should only receive a copy of their individual exam, nothing else. This is the only copy that will be made available to the examinees; the BJCP will not be returning the originals after the grading process has completed. The returning of the exams in this manner is a provisional policy—the Exam Directors will be monitoring the rate of protested examination results and if the rate increases, it may be necessary to revoke the policy of returning exams due to the increased grading load imposed by protested results.

To schedule an exam, please complete a copy of the Exam Data Administration Form (EDAF) from <u>http://www.bjcp.org/forms/exam_data_admin.doc</u> or <u>http://www.bjcp.org/forms/exam_data_admin.pdf</u> and include it as an attachment to an e-mail message to <u>exam_director@bjcp.org</u>.

A list of scheduled exams can always be found on the BJCP web site in the Exam Center. The approved exam schedule is on the web at <u>http://www.bjcp.org/exams.php</u>.

BJCP Administration

The Beer Judge Certification Program is governed by a Committee consisting of seven elected representatives of seven regions of North America. This board manages BJCP policy and bylaws.

Communication with BJCP members is handled by the Communication Director, who also handles outside communications. He may be reached by e-mail at <u>communication_director@bjcp.org</u>.

Complete contact information for all BJCP officers and directors can be found on the BJCP website in the Administration Center at <u>http://www.bjcp.org/officers.php</u>.

B. Beer Evaluation and the Judging Process

by Edward W. Wolfe

Beer Evaluation

Product evaluation is an important part of brewing, whether performed informally or formally and whether the product is from a commercial or home brewery. Formal beer evaluation serves three primary purposes in the context of brewing competitions. First, the beer evaluations provide feedback to the brewer concerning how well an individual recipe represents its intended beer style. This feedback can be useful as recipes are fine-tuned and attempts are made to improve the beer. Second, beer evaluations may provide brewers with troubleshooting advice. These diagnostic suggestions are particularly helpful when the brewer cannot identify the source of off-flavors or aromas. A knowledgeable beer evaluator can provide the brewer with suggestions for changing procedures and equipment that can help eliminate undesirable flavor and aroma components. Third, beer evaluation provides a fairly unbiased method for selecting and recognizing outstanding beers in brewing competitions.

Environment

One important condition that is necessary for accurate beer evaluation is the establishment of a suitable environment. The environment should be well-lit, odor-free, and distractions should be minimized. Natural, diffuse lighting is best, with incandescent lighting preferred over fluorescent lighting. Table cloths and walls should be free of patterns that might obscure visual inspection of the beer, and light colored or white walls and tablecloths are ideal. The room in which evaluation takes place should be as free of odors as possible. Restaurants and breweries can be particularly troublesome locations for evaluating beers because food and brewing odors are likely to interfere with a beer judge's ability to smell the beers being evaluated. Smoking and perfumes should also be eliminated as much as possible. In addition, the evaluation environment should be as free from other distractions. Noise should be kept to a minimum, and privacy should be preserved to the greatest extent possible. Every effort should be made to make the beer judges comfortable by carefully selecting chairs and tables, monitoring the temperature of the evaluation room, and providing assistance to judges during the evaluation process (e.g., stewards).

Equipment

A second important condition that is necessary for effective beer evaluation is suitable equipment. That is, judges need sharp mechanical pencils with erasers—mechanical so that the aroma of wood does not interfere with detecting beer aromas and erasers so that comments and scores can be changed. Beer judges also need suitable cups for sampling the beer—impeccably clean plastic or glass, odor-free, and clear. Also, judges need access to style guidelines. Tables should be equipped with water and bread or crackers for palate cleansing, buckets and towels for cleaning spills or gushes, bottle openers and cork screws, and coolers and temporary caps for temporary storage of opened bottles.

Presentation

As for the presentation of beers, two methods are common, each with positive and negative points. One method of presentation permits judges to open and pour the beer into their own cups. A second method of presentation requires stewards to pour beer into pitchers, and the beer is transferred from the pitcher into judges' cups. When judges are allowed to pour their own beers, there is some danger that moving bottles to the evaluation table will stir up yeast and that judges' opinions of a beer's quality will be influenced by the appearance of the bottles that it comes in. On the other hand, when judges transfer beer from a pitcher, it is more difficult to capture many of the fleeting aromas that might dissipate between the time the bottle is opened and the time that judges are presented with the beer. Another problem with using pitchers is that it is more difficult to temporarily store beer samples so that judges can taste them again at a later time.

The Judging Process Decision Strategies

There are two general decision making strategies that judges use when evaluating a beer. In a top-down decision making strategy, the judge forms an overall impression about the quality of the beer, decides what overall score to assign that beer, and deducts points for each deficient characteristic of the beer based on the overall impression. The problem with this top-down approach to beer evaluation is that it is difficult to ensure that the points allocated to each subcategory (e.g., aroma, appearance, flavor, body) agree with the comments that were made about that feature of the beer. In a bottom-up decision making strategy, the judge scores each subcategory of the beer, deducting points for each deficient characteristic. The overall score is determined by summing the points for each subcategory. The problem with this bottom-up approach to beer evaluation is that it easy to arrive at an overall score for the beer that does not agree with the overall impression of the beer. In short, judges who use a top-down approach to judging beers may "miss the forest for the trees."

Most judges use a combination of these two extremes. Regardless of which approach seems more comfortable to an individual beer judge, there are several general guidelines that judges should follow when assigning scores to beers. In the current BJCP scoring systems, each beer is evaluated on a 50-point scale, allocating 12 points for Aroma, 3 for Appearance, 20 for Flavor, 5 for Mouthfeel and 10 for Overall Impression. This scoresheet can be found on the BJCP website. In addition, there are sliding scales on the bottom right hand corner for rating the stylistic accuracy, technical merit and intangibles of each beer.

Scoring Guidance

Overall scores should conform to the descriptions given at the bottom of each scoresheet. Excellent ratings (38-44) should be assigned to beers that are excellent representations of the style. Very Good ratings (30-37) should be assigned to very good representations of the style that have only minor flaws. Good ratings (21-29) should be assigned to good representations of the style that have significant flaws. Drinkable ratings (14-20) should be assigned to beers that do not adequately represent the style because of serious flaws. A problem rating (13 or lower) is typically assigned to beers that contain flaws that are so serious that the beer is rendered undrinkable. The scoresheet reserves the 45-50 range for outstanding beers that are truly world-class.

In general, the best beers at a competition should be assigned scores in the 40+ range, with real evaluations of the beer identifying some characteristics of the beer that make it non-perfect. A beer receiving a perfect score of 50 must indeed be perfect; it must have absolutely no flaws, exemplify the style as well as or better than the best commercial examples, be perfectly brewery-fresh, and be well-handled and presented. These conditions might not all be under the brewer's control, so achieving a perfect beer at the point of presentation to judges is extremely rare.

When providing feedback about very good beers, it is important to identify ways in which the beer can be improved and mention these characteristics on the scoresheet. Any serious flaw or missing aspect of a particular beer style (such as lack of clove character in a Bavarian weizen) generally results in a maximum score around 30. Also, note the cut-off score of 21 determines if a beer adequately represents a particular style.

A beer that is strongly infected or that contains a flaw so severe that it makes the beer undrinkable can be assigned a score of 13. A score of 13 makes the point that the beer is essentially undrinkable; lower scores can be taken as spiteful. However, this is simply a guideline. If the flaws are so bad that even a 13 is generous, judges can score lower. Simply justify your score using a bottom-up method; assign points for positive attributes that are present. Give the benefit of the doubt for low-scoring beers. If you do score lower than 13, strive to make as many useful comments as possible on how the brewer can improve the beer. Always look for positive comments to make about a beer, and then let the brewer know what aspects of the beer need attention and how to correct any flaws.

Procedure

Beers should be evaluated using the following procedure:

- 1. Prepare a scoresheet. Write the entry number, style category and subcategory names and numbers, your name, and any other necessary information (e.g., judge rank, e-mail address) on a scoresheet, or apply a pre-printed label.
- 2. Visually inspect the bottle (if given the bottle). Check the bottle for fill level, clarity, sediment, and signs of problems (e.g., a ring around the neck of the bottle). Identification of such characteristics may be helpful in describing flaws that are discovered during the formal evaluation process. However, be careful not to prejudge the beer based on a visual inspection of the bottle.
- 3. Pour the beer into clean sampling cup, making an effort to agitate the beer enough to produce a generous head (but not enough to produce a head large enough to interfere with drinking the beer). For highly carbonated beers, this may require pouring carefully into a tilted cup. For beers with low carbonation, this may require pouring directly into the center of the cup, with a 6 inch (15 cm) drop from the bottle. Pour each entry in a manner that gives it its optimum appearance, keeping in mind that some entries may be over- or under-carbonated.
- 4. Smell the beer. As soon as the beer is poured, swirl the cup, bring it to your nose, and inhale the beer's aroma several times. When a beer is cold, it may be necessary to swirl the beer in the cup, warm the beer by holding it between your hands, or putting your hand on the top of the cup to allow the volatiles to accumulate in a great enough concentration to be detected. Write your impressions of the beer's aromas. Particularly, note any off aromas that you detect. Do not assign scores for aroma yet.

- 5. Visually inspect the beer. Give your nose a rest, and score the appearance of the beer. Tilt the cup, and examine it through backlighting. For darker beers, it may be necessary to use a small flashlight to adequately illuminate the beer. Examine the beer's color, clarity, and head (retention, color, and texture). Write comments about the degree to which the color, clarity, and head are appropriate for the intended style and record a score. Score the beer for appearance, allocating a maximum of one point for each of these characteristics.
- 6. Smell the beer again. Again, swirl the cup, bring it to your nose, and inhale the beer's aromas several times. Note how the beer's aroma changes as the beer warms and the volatiles begin to dissipate. Write your impressions of the beer's aromas, noting particularly the appropriateness of the malt, hops, yeast, and fermentation byproduct aromas. Also, note any lingering off aromas. Do not assign scores for aroma yet.
- 7. Taste the beer. Take about 1 ounce (30 ml) of beer into your mouth, and coat the inside of your mouth with it. Be sure to allow the beer to make contact with your lips, gums, teeth, palate, and the top, bottom, and sides of your tongue. Swallow the beer, and exhale through your nose. Write down your impressions of the initial flavors of the beer (malt, hops, alcohol, sweetness), intermediate flavors (additional hop/malt flavor, fruitiness, diacetyl, sourness), and aftertaste (hop bitterness, oxidation, astringency). Do not assign scores for flavor yet.
- 8. Score the beer for mouthfeel. Take another mouthful of beer and note the appropriateness of the beer's mouthfeel for the intended style. Mouthfeel includes body, carbonation, warmth, creaminess, and astringency. Write comments concerning your impression and assign between 2 and 5 points with higher numbers reflecting appropriate mouthfeel and lower numbers indicating increasing levels of deviation from the intended style.
- 9. Evaluate the beer for overall impression. Relax. Take a deep breath. Smell the beer again, and taste it again. Pause to consider where the beer belongs in the overall range of scores (e.g., excellent, very good, good, drinkable, problem) and where similar beers are ranked within the judging flight. If you use a top-down decision making strategy, assign an overall score to the beer, then mentally subtract points from the remaining subcategories (i.e., aroma and flavor), consistent with your impressions of how the beer is deficient. Use the overall impression category to adjust your final score to the level you feel is appropriate for this beer. If you use a bottom-up decision making strategy, assign scores to each of the remaining subcategories (i.e., aroma and flavor), and assign a score for overall impression. Finally, write prescriptive suggestions for improving the beer in light of any deficiencies you noted in your evaluation.
- 10. Check any boxes on the left side of the scoresheet that are consistent with your comments.
- 11. Check your scoresheet. Add your category scores. If you use a bottom-up approach, double check to make sure you added correctly. If you use a top-down approach, make sure that your subcategory scores sum to equal your overall score. When the other judges have finished scoring the beer, discuss the technical and stylistic merits of the beer and arrive at a consensus score. Be prepared to adjust your scores to make them fall within 5-7 points of the other judges at your table.
- 12. Complete the Stylistic Accuracy, Technical Merit, and Intangibles scales at the bottom of the scoresheet. Mark the appropriate box on each scale to indicate where the beer lies on each scale.

Notes on Smelling the Beer

When a beer judge smells a beer, the judge is literally inhaling small particles of the beer. The sense of smell works by detecting molecules that are diffused into the air. These molecules are inhaled into the sinus cavity where receptors (olfactory cells) detect and translate the chemical information contained in the molecules into information that the brain can interpret. Several things influence a judge's ability to detect the variety of aromas in beer. First, there are different densities of the receptors found in different people. Hence, some judges may simply be more sensitive to odors than are other judges. Second, the receptor cells can be damaged through exposure to strong substances (e.g., ammonia, nasal drugs), and this damage may take several weeks to heal. Third, changes in the thickness of the mucus that lines the nasal cavity may influence a judge's sensitivity. Any molecules that are detected by the olfactory cells must pass through a mucus lining, so daily changes in the thickness of that lining influence our sensitivity from day to day. The thickness of the lining can be influenced by sickness (e.g., colds), or exposure to a variety of allergens or irritants (e.g., pet dander, dust, smoke, perfume, spicy foods). Therefore, judges need to take into account their current levels of sensitivity, given their health and exposure to substances that could interfere with their sense of smell. Finally, the olfactory cells become desensitized to repeated exposure to the same odors. As a result, a beer judge may be less able to detect subtle aromas as a judging session progresses. One way to remedy this problem is to occasionally take deep inhales of fresh air to flush the nasal cavity. Another way to lessen desensitization to certain odors is to sniff something that has a completely different odor (e.g., sniffing your sleeve) (Eby, 1993; Palamand, 1993).

Regardless of a judge's ability to detect various odors in beer, that ability is useless if the judge cannot use accurately descriptive terms to communicate information to the brewer. Hence, it is important for beer judges to build a vocabulary for describing the variety of odors (and knowledge of the source of those odors). Meilgaard (1993) presents a useful taxonomy of beer-related odors. His organizational scheme categorizes 33 aromas into 9 overall categories (oxidized, sulfury, fatty, phenolic, caramelized, cereal, resinous, aromatic, and sour). Beer judges should make efforts to expand their scent recognition and vocabulary.

Notes on Tasting the Beer

The sense of taste is very similar to the sense of smell. Taste is the sense through which the chemical constituents of a solid are detected and information about them is transmitted to the brain. The molecules are detected by five types of taste buds that are on the tongue and throat; some areas of the tongue are more sensitive to certain basic flavors than others, but the commonly-referenced Tongue Taste Map has been debunked. For example, you can taste bitterness more towards the back of your tongue, but the entire tongue can taste it. The five basic tastes detected by the tongue are sweetness, sourness, saltiness, bitterness and umami (savoriness).

Since all of these flavors are present in beer, it is important that beer judges completely coat the inside of their mouths with beer when evaluating it and that the beer be swallowed. As is true for the scent receptors in the nose, different people have different densities of taste buds and, thus, have different sensitivities to various flavors. Also, taste buds can be damaged (e.g., being burnt by hot food or through exposure to irritants like spicy foods, smoking, or other chemicals), so a judge's sensitivity may be diminished until tastebuds can regenerate (about 10 days). Judges need to be aware of their own sensitivities and take into account recent potential sources of damage when evaluating beers. In addition, taste buds can be desensitized to certain flavors because of residual traces of other substances

in the mouth. Therefore, it is best for judges to rinse their mouths between beers and to cleanse their palates with bread or salt-free crackers (Eby, 1993; Palamand, 1993).

Of course, as is true for the sense of smell, a judge's ability to taste substances in beer is useless unless that judge can accurately identify the substance and use appropriate vocabulary to communicate that information to a brewer. Meilgaard's (1993) categorization system for beer flavors includes 6 general categories (fullness, mouthfeel, bitter, salt, sweet, and sour) consisting of 14 flavors that may be present in beer. Judges should continually improve their abilities to detect flavors that are in beer, their abilities to use appropriate words to describe those perceptions, and their knowledge of the sources of those flavors so that brewers can be provided with accurate and informative feedback concerning how to improve recipes and brewing procedures.

Notes on Making Comments about Beer

There are five things to keep in mind as you write comments about the beers you judge. First, your comments should be as positive as possible. Acknowledge the good aspects of the beer rather than focusing only on the negative characteristics. Not only does this help make any negative comments easier to take as a brewer, but it gives your evaluation more credibility. Second, and related, be polite in everything that you write about a beer. Sarcastic and deprecating remarks should never be made on a scoresheet. Third, be descriptive and avoid using ambiguous terms like "nice." Instead, use words to describe the aroma, appearance, and flavors of the beer. Fourth, be diagnostic. Provide the brewer with possible causes for undesirable characteristics. Finally, be humble. Do not speculate about things that you do not know (e.g. whether the beer is extract or all-grain), and apologize if you cannot adequately describe (or diagnose) characteristics of the beer that are undesirable.

Other Considerations

Before the Event

Before a judging event, you should take steps to mentally and physically prepare yourself. Thoroughly familiarize yourself with the style(s) that you will judge if you know what those styles are ahead of time. Sample a few commercial examples and review the style guidelines and brewing procedures for those styles. Also, come to the event prepared to judge. Bring a mechanical pencil, a bottle opener, a flashlight, and any references that you might need to evaluate the beers. Also, make sure to come to the event in the right frame of mind. Get adequate rest the night before; shower; avoid heavily scented soaps, shampoos, and perfumes; avoid eating spicy foods and drinking excessively; and avoid taking medication that might influence your ability to judge (e.g., decongestants). You can also prepare your stomach for a day of beer drinking by drinking plenty of water and eating a dinner that contains foods that contain fats the night before the event and by eating extra sugar the morning of the event (e.g., donuts) (Harper, 1997).

Fatigue & Errors

During a judging flight, it is important to keep in mind that errors can creep into your judging decisions as a result of fatigue (palate or physical), distractions, or the order in which beers are presented. More specifically, judges may tend to assign scores (central scoring) in a much narrower range as time progresses simply because palate fatigue causes the beers to taste more and more similar over time.

Conversely, judges may assign one or two beers much higher scores than other beers simply because they stand out as being much more flavorful (extreme scoring). In addition, as judges become tired (and possibly intoxicated) during long flights, they may allow impressions of some very noticeable characteristics of particular beers to overly influence their perceptions (and scores) of other characteristics of the beers (halo effect). For example, a weizen that is too dark may (falsely) also seem too heavy and caramel-flavored. Also during long flights, judges need to be mindful of the fact that proximity errors (e.g., assigning scores that are too high to a beer that follows a poor example of the style) and drift (e.g., assigning progressively lower (or higher) scores to beers as time progresses) may influence the validity of the scores that they assign (Wolfe, 1996; Wolfe & Wolfe, 1997).

Unfortunately, it is nearly impossible to know when errors such as these have crept into your judgments. Therefore, it is extremely important to retaste all of the beers in a flight, especially the ones in the top half of the flight. In general, most flights should contain less than 12 beers, so this would entail retasting at least the 6 that receive the highest scores. Each beer should be carefully reevaluated to make sure that the rank ordering of the assigned scores reflects your overall impression of the actual quality of the beers. Only after retasting and a discussion of these impressions should awards be assigned to beers within the flight. Note that the competition coordinator may request that you readjust your scores to reflect any discrepancies between the ordering of awards and the ordering of assigned scores.

When You Are Finished

When you have finished judging a flight of beers, make sure that your scoresheets are complete, that the scoresheets have been organized in a way that the competition organizer can identify the scores and the awards that you assigned, and that the table at which you judged is ready for another judging flight or that (following the final flight of the day) it is cleaned. Most importantly, avoid causing distractions to other judges who have not yet finished judging their flights (e.g., loud conversations, interrupting judges who are still making decisions, etc.). In fact, this would be a good time to leave the judging area for a beer or a breath of fresh air. Also, be conscientious in what you say to others about the beers that you judged. It is often tempting to tell others about the worst beer in your flight or to make remarks about the overall poor quality of entries that you judged. Not only are comments such as these in poor taste, but since you do not know who entered the beers that you judged, you may offend the person to whom you are talking (or judges who are still judging).

Practicing

Of course, one of the best (and most enjoyable) things that you can do to maintain your judging skills is to continually practice by sampling a variety of beers and brewing your own beers. In addition to visiting pubs and microbreweries, you can sample homebrew regularly by attending homebrew club meetings. Entering beers in competitions is also a practical way to compare your flavor perception and troubleshooting skills with those of experienced judges. You can also brush up on your judging skills by coordinating tasting sessions and mini-competitions with other judges or by sampling beers that have been "doctored" to simulate common flavors and flaws in beer (Wolfe & Leith, 1997). Dr. Beer ® is a commercial example of this program, but several authors have described methods for preparing beers using readily-available ingredients (Guinard & Robertson, 1993; Papazian & Noonan, 1993; Papazian, 1993). Guidelines for a doctored beer session are also given at the end of the BJCP Exam Study Course later in this section.

References and Additional Reading

- 1. Eby, D.W., "Sensory aspects of zymological evaluation" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 39-54.
- 2. Guinard, J.X. and Robertson, I., "Sensory evaluation for brewers" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 55-74.
- 3. Harper, T., "Scrutinize. Swirl. Sniff. Sip. Swallow. Scribble.: The Six Habits of Highly Effective Great American Beer Festival Judges" Sky (September, 29-31, 1997).
- 4. Konis, T., "Origins of normal and abnormal flavors" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 91-104.
- 5. Meilgaard, M.C., "The flavor of beer" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 15-38.
- 6. Palamand, R., "Training ourselves in flavor perception and tasting" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 115-131.
- Papazian, C., "Evaluating beer" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 3-14.
- 8. Papazian, C., "Testing yourself" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 215-223.
- 9. Papazian, C. and Noonan, G., "Aroma identification" in <u>Evaluating Beer</u> (Brewers Publications, Boulder, CO, 1993), pp. 199-214.
- 10. Wolfe, E.W., "Unbeknownst to the right honourable judge—Or how common judging errors creep into organized beer evaluations" Brewing Techniques, v. 4(2), 56-59 (1996).
- 11. Wolfe, E.W. and Wolfe, C.L., "Questioning order in the court of beer judging—A study of the effect of presentation order in beer competitions," Brewing Techniques, v. 5(2), 44-49 (1997).
- 12. Wolfe, E.W. and Leith, T., "Calibrating judges at remote locations: The Palate Calibration Project," submitted to Brewing Techniques (1997).

C. Important BJCP Reference Materials

Current competition materials can be found on the BJCP website in the Competition Center. Other important BJCP references include the most current program rules, information and structure. These documents can be found in the following locations:

BJCP Beer Scoresheet BJCP Cover Sheet BJCP Judge Instructions Judge Procedures Manual BJCP Competition Requirements BJCP Member's Guide Sample Scoresheets Mastering the BJCP Exam http://www.bjcp.org/docs/SCP_BeerScoreSheet.pdf http://www.bjcp.org/docs/SCP_CoverSheet.pdf http://www.bjcp.org/docs/SCP_JudgeInstructions.pdf http://www.bjcp.org/docs/Judge_Procedures_Manual.pdf http://www.bjcp.org/rules.php http://www.bjcp.org/membergd.php http://www.bjcp.org/examscores.php http://www.bjcp.org/docs/mastering.pdf

D. The BJCP Exam

Overview

The **BJCP Beer Judge Entrance Examination** consists of 200 questions to be answered in a 60 minute time period. There is mixture of multiple choice, true-false and multiple answer questions which are designed to test a prospective judge's knowledge of beer styles, beer characteristics and the brewing process. This entrance exam must be passed to enable a prospective judge to take the BJCP Expanded Judging Examination. The key reference for the style-related questions is the BJCP Style Guidelines, and prospective judges are encouraged to become very familiar with this document before attempting the entrance exam. The 200 questions are drawn from a large pool of questions so each examination will potentially be different. The BJCP does <u>not</u> intend to publish the list of questions in the pool as that will invalidate the quality of the examination – a published pool would be too easy to query for answers without the examinee actually learning the material. The BJCP will monitor for questions that are made public and will work to remove said questions from the examination pool.

The **BJCP Beer Judging Examination** is closed book and requires the judging of six beers as if one were at a competition, with the scoresheets evaluated on the basis of scoring accuracy, perception, descriptive ability, feedback and completeness. Grading is done by volunteer National and Master judges, with their scores and feedback reviewed by both a BJCP Associate Exam Director and a BJCP Exam Director. These reviews ensure that the scores from different exams and graders are consistent between different exams and with the criteria expected for the different judging levels.

The **BJCP Beer Judge Written Proficiency Examination** is closed book and consists of two sections. The first section tests familiarity with the BJCP and the judging process, consists of 20 true/false questions about judging and the organization. Correct answers earn no points, but each incorrect answer results in a 0.5 point deduction from the overall exam score. On the second section there are five essay questions; there are two questions covering beer styles, one is a recipe question, and two questions covering brewing techniques, with the latter focusing on the relationship of ingredients and the brewing process to flavors in the finished beer. The style questions ask for descriptions and comparisons of related beer styles, including information on the historical development, ingredients, style parameters, commercial examples and the brewing process. These questions are drawn from the same set of questions that was used for the essay portion of the **BJCP Legacy Beer Examination**. The questions in section two are each worth 20 percent of the total exam score. See the following two sections of this document for a list of the BJCP exam questions and an example of an answer with enough content and depth to receive a very high mark.

The exam is criteria-based, so if the essay questions are not answered correctly or do not contain enough information (a good rule of thumb is two pages per answer), then it will be difficult to get a passing score on the written portion. Similarly, if the descriptions and feedback on the beer scoresheets are weak, it will be difficult to pass the tasting portion. The recommended materials should therefore be read before the study sessions and reviewed along with the BJCP Study Guide before the exam. The style categories in the questions below are based on the BJCP Guidelines, which are also used by the AHA for its national homebrew competition.

The following is from the instructions to the BJCP exam. It clearly states what a complete answer to the typical exam question should contain.

For a passing score, beer style descriptions must include the aroma, appearance, flavor, and mouthfeel descriptions as in the BJCP Style Guidelines. If time permits, for maximum credit, a more complete answer should consider the history of the style, geography, commercial examples, style parameters, unique ingredients, and fermentation techniques and conditions. When a question asks for a *classic* commercial example of a style the correct answer is one of the styles listed in the BJCP Style Guidelines.

Although we have never had a real problem in this regard, it is BJCP policy to protect the integrity of the BJCP exam. Modern electronic devices make it too difficult for an exam administrator to be certain people aren't cheating, so exam instructions now include the following:

Use of the following electronic devices are not allowed during the exam:

- Calculators, except for basic four-function models
- Pagers
- PDAs
- Laptop or desktop computers
- Cell phones (In case of an emergency, phones may be left with the Administrator with instructions for answering.)
- Walkman/iPod or other listening devices
- Headphones of any type

Examinees with any special needs are required to contact the Exam Director to work out specific procedures a minimum of 6 weeks in advance of the exam date.

BJCP Exam Questions

Web-based BJCP Beer Judge Entrance Examination

The questions in this exam are comprised of an assortment of 200 True-False (TF), Multiple-Choice-Single-Answer (MCSA) and Multiple-Choice-Multiple-Answer (MCMA). The MCSA questions will always have one selection that is the best answer to the question, while the MCMA questions will have one or more selections that are correct. There is a 60 minute time limit for answering these 200 questions. Some of the questions on this exam are difficult, and answering a sufficient number of them correctly will require thought and advance preparation. The same study materials that were recommended for the essay portion of the **BJCP Legacy Beer Examination** will be useful for this entrance exam.

There is sometimes the perception that an exam with multiple choice and TF questions will be easier to pass than a written exam; this is not the case with the **BJCP Beer Judge Entrance Examination**. A prospective judge who would not have been sufficiently prepared to pass the written portion of the **BJCP Legacy Beer Examination** will likely not pass the **BJCP Beer Judge Entrance Examination**. Those who pass the **BJCP Beer Judge Entrance Examination**. Those who pass the **BJCP Beer Judge Entrance Examination** are provisional judges and must take the **BJCP Beer Judging Examination** to become a BJCP judge.

Due to the nature of the web-based BJCP **Beer Judge Entrance Examination**, the complete list of questions will not be made available since that would facilitate the creation of an answer key that would defeat the objective of having an entrance exam that tests on knowledge and understanding rather than rote memorization. However, examples of each type of question are given below, and it should be clear

to those studying for the **BJCP Beer Judge Entrance Examination** how similar questions were generated from the BJCP Style Guidelines and other references on beer styles and the brewing process.

True-False Example:

Düsseldorf Altbier typically has a light body and a medium carbonation level.	True	False
---	------	-------

Multiple-Choice-Single-Answer Example 1:

Which of the following characteristics is inappropriate for Southern English Brown Ale?	Rich, malty sweetness	Notes of plums and raisins	Medium body	Moderate hop aroma	Low carbonation	
---	-----------------------	----------------------------------	----------------	--------------------------	--------------------	--

Multiple-Choice-Single-Answer Example 2:

A Doppelbock typically has:	More caramel character than Traditional Bock	More hop aroma than Traditional Bock	More melanoidin character than Traditional Bock	More astringency than Traditional Bock	More diacetyl than Traditional Bock
-----------------------------	--	---	---	--	---

Multiple-Choice-Multiple-Answer Example:

Check all that apply. Acetic acid is perceived as having which of the following characteristics:	Paper	Sherry	Vinegar	Sour	Vinous	
--	-------	--------	---------	------	--------	--

BJCP Beer Judge Written Proficiency Examination

The written proficiency examination consists of two sections: the BJCP ethics, levels and judging process section, and the essay portion.

BJCP Ethics, Levels and the Judging Process Portion of the Written Proficiency Examination

The questions in this section are remedial for a BJCP judge eligible to take the **BJCP Beer Judge Written Proficiency Examination**. Any judge National or higher judge should know this stuff. It should take almost no time to answer these questions. **You get no additional credit for getting the answers correct but you can lose up to 10% of your essay score if you get them all wrong.** These questions based on the <u>BJCP Judging Procedures Manual</u> and the details on the requirements for the BJCP Judging Ranks. Each individual question answered incorrectly subtracts the equivalent of 0.5% from your total score, yielding a 10% deduction for a completely failing all 20 questions. We expect senior BJCP judges of the type eligible to take the **BJCP Beer Judge Written Proficiency Examination** to know this material, thus the penalty scoring. The 20 questions are drawn from the following pool of true/false questions:

Number	Answer	Question
1	Т	A competition organizer may serve as the judge director and may also serve as a judge, provided this person has no knowledge of the association between entries and entrants ⁵ .
2	Т	A competition's judge director may serve as a judge, provided this person has no knowledge of the association between entries and entrants.
3	Т	A competition organizer may serve as the judge director, provided this person has no knowledge of the association between entries and entrants.
4	F	A competition's judge director may not serve as a judge, even if this person has no knowledge of the association between entries and entrants.
5	F	A competition organizer may not serve as a judge, even if this person has no knowledge of the association between entries and entrants.
6	Т	A competition's judge director may serve as the competition organizer and may also serve as a judge, provided this person has no knowledge of the association between entries and entrants.
7	Т	An individual with knowledge of the association between entries and entrants may not serve as a judge.
8	F	A member of the competition staff with access to information that associates entries with entrants may serve as a judge, provided this person does not divulge information about entries and entrants to other judges.
9	Т	The "head" judge at a table should try to tutor apprentice or lower-rank judges if time permits.
10	F	The steward at the table has sole responsibility for completing the Cover Sheets for beers in each flight.
11	Т	The "head" judge at the table has sole responsibility for completing the Cover Sheets for beers in each flight.
12	Т	The "head" judge at a table should fill out Cover Sheets for beers in his or her flight as directed by the competition management.
13	F	The "head" judge at a table has no responsibility for filling out Cover Sheets for beers in his or her flight unless directed to do so by the competition management.
14	Т	The "head" judge at the table has sole responsibility for completing the Cover Sheets for beers in each flight but with the agreement of the steward may delegate the completion of the Cover Sheets to the steward.
15	Т	The "head" judge, with the agreement of the steward, may delegate filling in of the Cover Sheets for beers in his or her flight to the steward.
16	F	There is no need for the "head" judge to complete the Flight Summary Sheet - the competition organizer can obtain all that information from the cover sheets.

⁵ But the competition organizer can NOT receive judging experience points if they serve as a judge.

Number	Answer	Question
17	Т	If possible, there should be at least one BJCP-ranked judge in every flight.
18	Т	When Non-BJCP judges evaluate entries in a competition, each Non-BJCP judge should be paired with a BJCP judge.
19	Т	Non-BJCP judges may only evaluate entries if authorized by the judge director, and Non-BJCP judges should be paired with BJCP judges when possible.
20	Т	To reduce stray odors and flavors present, beverages and foods other than water, bread or crackers should not be brought to the judging table.
21	F	It is acceptable to bring food items other than bread, crackers, and water to the judging table.
22	F	You must filter out strong scents from fellow judges or the environment from your mind rather than discussing the problem with the competition organizer.
23	Т	Strong scents from the environment or other judges or stewards should be brought to the attention of the competition organizer.
24	F	Because entries cannot have any identifying marks, it is OK for a judge to judge beers in a category he or she has entered.
25	Т	If a judge is assigned to judge a category that he/she has entered, that judge should ask the competition organizer to reassign him/her to another category.
26	F	If a judge is assigned to a category that he or she has entered, the judge should go ahead and evaluate the entries in that category without notifying the judge director or competition organizer.
27	F	Judges should not review the style being judged from the BJCP Style Guidelines while at the judging table prior to judging that style.
28	Т	Judges may invite stewards to taste the beers in a flight, if there's enough sample to share.
29	Т	It is acceptable to change the order in which you judge the beers on your flight sheet from how it was printed.
30	F	Beers must be evaluated in the sequence specified on the flight sheet.
31	F	If you have eaten spicy or greasy food within a few hours prior to judging, you should use mouthwash or antiseptic rinse before judging.
32	Т	You should avoid eating spicy or greasy food within a few hours prior to judging.
33	Т	Spicy or greasy foods should be avoided prior to a judging event because they can reduce a judge's sensitivity to the aromas and flavors of beer.
34	Т	Perfumed shampoos and colognes should be avoided prior to a judging event because they can reduce a judge's sensitivity to the aromas of beer.
35	F	It is a good idea to take a decongestant prior to a judging event to increase your sensitivity to the aromas of beer.
36	F	Calibrations beers are selected to be the standard against which entries should be judged.

Number	Answer	Question
37	Т	It is the responsibility of the "head" judge, in consultation with the other judges in a flight, to assign a consensus score to each entry.
38	F	It is not necessary for scores produced by the judges on a panel to be within seven points (or less if directed by the competition director) of each other.
39	Т	After discussing the initial scores, judges should adjust their final scores to be within seven points (or less if directed by the competition director).
40	Т	Judges must adjust their scores to be within seven points (or less if directed by the competition director) of each other as part of developing a consensus score for the beer.
41	Т	The consensus score assigned to the beer is not necessarily an average score.
42	Т	When judging, It is important to evaluate entries quickly and also complete the score sheets thoroughly and completely
43	Т	On average, experienced judges should be able to completely evaluate a beer, including arriving at a consensus, in 10 minutes.
44	F	When there is a discrepancy in the scores for a given beer, the lower-ranked judges should yield to the opinion of the highest ranked BJCP judge at the table.
45	Т	It is acceptable to remove offensive smelling entries from the judging table after they have been evaluated.
46	F	A judge must disqualify an entry if the bottle has raised lettering or the cap has identifying marks.
47	F	A judge may disqualify an entry if it has an improper bottle or cap.
48	Т	Only the judge director or competition organizer can disqualify an entry.
49	Т	The results of the bottle inspection does not affect the scoring.
50	Т	Snide or rude comments are unacceptable on scoresheets.
51	Т	Pour each entry in a manner that gives it its optimum appearance, keeping in mind that some entries may be over- or under-carbonated.
52	F	When you suspect an entry has been placed in the wrong flight based on the style being judged, you should request that it be judged in a different flight instead.
53	Т	When you suspect an entry has been placed in the wrong flight based on the style being judged, you should consult with the judge director or competition organizer.
54	Т	Sniff the entry immediately after pouring to ensure proper evaluation of volatile aromatics.
55	F	There is no need to sniff the aroma immediately after pouring the entry into the glass.
56	Т	Judges should complete the evaluation of each entry before moving on to the next.
57	F	It is not necessary to offer any feedback for improvement if you score a beer above 40.

Number	Answer	Question
58	Т	It is common practice to refrain from sharing your thoughts while judging a beer until the other judges have completed their scoresheet.
59	F	If you are very familiar with a beer style, it is preferable to disregard the BJCP Style Guidelines and rely on your personal expertise instead.
60	F	If rushed, it's acceptable to write only comments and an overall score on a scoresheet, leaving the scores for the subsections blank.
61	F	If rushed, it's acceptable to write only 1-2 comments on a scoresheet as long as the numeric score is filled out.
62	F	If a beer is a "gusher" or has an unpleasant aroma upon opening, a judge may assign a courtesy score of 13 without tasting and commenting on the characteristics of the beer.
63	Т	All beers should be tasted and scored, even if they are "gushers" or have an unpleasant aroma upon opening.
64	F	It is appropriate to penalize the entrant if the beer is not served at the proper temperature.
65	Т	If the beers are not served at the proper temperature, judges should work with the competition staff to resolve the problem.
66	F	In each section of a scoresheet, you should only comment upon the most prominent features of each entry, not subtle characteristics.
67	F	Judges' comments must not include phrases like "if you used"
68	F	Judges' comments must not include phrases like "did you"
69	Т	Judges' comments must include a complete evaluation of the sensory aspects of the entry and how those aspects relate to the style guidelines.
70	Т	Judges' comments should be constructive and reflect knowledge of the brewing, fermentation, bottling, and handling process.
71	Т	Judges' comments need to provide information on how to improve the entry as warranted.
72	Т	Scores should not be assigned to the aroma section immediately because the entry's aroma profile may change over time.
73	F	Each section must be scored with a number prior to writing any comments, to best capture your first impressions.
74	F	To assure objectivity, you should never write your full name or put contact information on the scoresheet.
75	Т	You should write your full name and judging rank on each scoresheet.
76	Т	You should always fill out the "Style Scales" on the scoresheet, as a good check against your scores.
77	F	You should use the "Overall Impression" section of the scoresheet to refer to how the entry compares to other entries in the flight.

Number	Answer	Question
78	Т	You should use the "Overall Impression" section of the scoresheet to comment on how much you enjoyed the entry or provide suggestions for how to improve the beer.
79	Т	A score in the "Outstanding" range is reserved for entries that not only lack flaws but also have the hard-to-define "extraordinary" character that great beers have.
80	F	The courteous lower limit for scores assigned to "Problematic" beers is 6 points, with one point for each section of the scoresheet.
81	Т	The courteous lower limit for scores assigned to "Problematic" beers is 13 points.
82	F	If judges require more pours than one bottle to judge an entry, the "head" judge should ask the steward to request a second bottle from the cellar master ^{6} .
83	F	It is preferable to use ink on scoresheets so that your scores and comments cannot be altered by contest personnel.
84	Т	It is preferable to use mechanical pencils, rather than wooden pencils, on scoresheets so that wood odors do not interfere with beer aromas.
85	Т	It is acceptable to request a second bottle to give the entry a fair chance at an accurate judging if a beer is a "gusher" or tastes infected.
86	Т	Entrants may contact the judge, the competition director, or their BJCP Regional Representative if they are dissatisfied with any aspect of their scoresheets.
87	Т	When your flight has finished, you should avoid having conversations that might distract other judges who have not yet finished their flights.
88	F	When your flight has finished, it is acceptable to visit other flights still in progress to see how beers you have entered are faring.
89	Т	Because it may have been entered by a person in the room, it is polite to refrain from publicly deriding a "problem" beer that you have scored during a competition.
90	Т	Judges from outside the table should not be consulted on a beer unless the judges at the table cannot reach a consensus score, and then only if they all agree to the consultation.
91	F	BJCP Apprentice judges have not yet taken the BJCP Beer Judging Exam.
92	Т	Novice is not an official BJCP judge rank.
93	Т	One can obtain the BJCP Recognized rank without acquiring judging experience points.

⁶ The emphasis here is on learning to judge a beer with just a few ounces in your glass. Obviously, for a gusher you would request a second bottle if it was available but you should not ask for an additional bottle just because you are pouring too much.

Number	Answer	Question
94	Т	One can obtain the BJCP Recognized rank without acquiring non-judging experience points.
95	Т	To become a BJCP Certified judge, it is sufficient to pass the Entrance Exam, score at least 70% on the Beer Judging Exam and earn 5 judging points.
96	F	To become a BJCP Certified judge, it is sufficient to pass the Entrance Exam, score at least 70% on the Beer Judging Exam and earn 5 experience points.
97	F	The maximum score on the Beer Judging Exam for the BJCP Certified rank is 79%.
98	F	To become a BJCP National judge, it is sufficient to score 80% on the Beer Judging Exam and accumulate 20 experience points.
99	F	To become a BJCP National judge, it is sufficient to score 80% on the Beer Judging Exam and accumulate 20 experience points, with at least half of them from judging.
100	F	One can obtain the BJCP National rank without acquiring judging experience points.
101	Т	One can obtain the BJCP National rank without acquiring non-judging experience points.
102	F	BJCP Master judges must have a minimum score of 90% on the combined written and tasting exams and at least 40 judging points.
103	F	BJCP Master judges must score at least 90% on the combined written and tasting exams and earn at least 50 experience points, with at least half of them from judging.
104	F	The maximum score on the combined written and tasting exams for the BJCP National rank is 89%.
105	F	BJCP Master judges must score at least 90% on the combined written and tasting exams and fulfill a Grand Master Service Requirement.
106	F	BJCP Grand Master judges must score at least 95% on the combined written and tasting exams.
107	Т	BJCP Grand Master judges must score at least 90% on the combined written and tasting exams.
108	т	Each additional BJCP Grand Master level requires an additional 100 experience points.
109	Т	BJCP Honorary Grand Master judges do not have to take the BJCP exam.
110	F	The BJCP Honorary Grand Master rank is bestowed upon professional brewers when they judge at homebrew competitions.
111	Т	Honorary Master is a temporary rank bestowed on operatives of the BJCP.
112	Т	The BJCP Grand Master rank requires the same minimum score on the combined written and tasting exams as the Master rank.

Number	Answer	Question
113	F	The BJCP Grand Master rank requires the same minimum experience points as the Master rank.
114	F	The only difference in requirements between the BJCP Master and Grand Master ranks is that the Grand Master rank requires a GMSR.
115	Т	Each BJCP Grand Master level has additional requirements for exam grading.
116	Т	A BJCP Grand Master Service Requirement can be fulfilled by grading exams.
117	F	A BJCP Grand Master Service Requirement can be fulfilled by organizing competitions.
118	F	A BJCP Grand Master Service Requirement can be fulfilled just by serving on the BJCP Board.
119	Т	At least one-half of the experience points required for any BJCP judge rank must be from judging.
120	F	Judging at homebrew competitions is the only way to earn BJCP judging points.
121	Т	BJCP judges can earn non-judging experience points for participating in BJCP Continuing Education Program activities.
122	Т	Judging experience points can only be earned by judging in a competition or proctoring a BJCP exam.
123	F	Stewards at homebrew competitions earn BJCP judging points if they taste the beers with the judges.
124	Т	Stewards at homebrew competitions earn BJCP experience points.

The Essay Portion of the Written Proficiency Examination

The remainder of the written portion of the exam consists of five free-form essay questions, each worth 20% of the total essay score. They will be a combination of "Style" questions and "Troubleshooting" questions, based on the idea that knowledge of brewing techniques is as important to a beer judge as knowledge of beer styles.

The Style Related Questions

For the style-related questions, the allocation of the 20% available for each answer is explicit in the exam question. The questions are now of the form:

S0. For each of the three styles *style-1*, *style-2*, and *style-3*, provide a statement describing the styles as well as the differences and similarities between them by addressing each of the following topics:

40%	Describe the aroma, appearance, flavor, and mouthfeel of each style as in the BJCP Style Guidelines.
25%	Identify at least one aspect of the ingredients (malts, hops, water chemistry) or background information (history, fermentation techniques and conditions, or serving methods) that distinguishes each style.
10%	For each of the styles, name at least one classic commercial example as listed in the BJCP Style Guidelines.

25% Describe the similarities and differences between the three styles.

ID	Style-1	Style-2	Style-3
1	American Amber Ale	American Brown Ale	American Pale Ale
2	American Amber Ale	American Pale Ale	California Common Beer
3	American Barleywine	English Barleywine	Imperial IPA
4	American Barleywine	English Barleywine	Strong Scotch Ale
5	American Barleywine	Old Ale	Strong Scotch Ale
6	American Brown Ale	American Pale Ale	California Common Beer
7	American Brown Ale	Mild	Northern English Brown Ale
8	American Brown Ale	Mild	Southern English Brown Ale
9	American IPA	English IPA	Imperial IPA
10	American Pale Ale	Belgian Pale Ale	Extra Special/Strong Bitter (English Pale Ale)
11	American Pale Ale	English Barleywine	Strong Scotch Ale
12	American Stout	Dry Stout	Foreign Extra Stout
13	American Stout	Dry Stout	Oatmeal Stout
14	American Stout	Dry Stout	Robust Porter
15	American Stout	Dry Stout	Sweet Stout
16	American Stout	Foreign Extra Stout	Oatmeal Stout
17	American Stout	Foreign Extra Stout	Robust Porter
18	American Stout	Foreign Extra Stout	Sweet Stout
19	American Wheat or Rye Beer	Roggenbier (German Rye Beer)	Weizen/Weissbier
21	American Wheat or Rye Beer	Straight (unblended) Lambic	Weizen/Weissbier
22	American Wheat or Rye Beer	Weizen/Weissbier	Witbier
23	Baltic Porter	Belgian Dark Strong Ale	Imperial Stout
65	Baltic Porter	Foreign Extra Stout	Robust Porter
24	Belgian Blond Ale	Belgian Dubbel	Belgian Tripel
25	Belgian Blond Ale	Belgian Golden Strong Ale	Belgian Tripel
26	Belgian Blond Ale	Belgian Pale Ale	Saison
27	Belgian Dark Strong Ale	Imperial IPA	Strong Scotch Ale
28	Belgian Dark Strong Ale	Belgian Dubbel	Weizenbock
29	Belgian Pale Ale	Bière de Garde	Saison
30	Berliner Weisse	Flanders Red Ale	Straight (Unblended) Lambic
31	Berliner Weisse	Gueuze	Straight (Unblended) Lambic
32	Berliner Weisse	Weizen/Weissbier	Witbier
34	Bière de Garde	California Common Beer	North German Altbier

The styles groupings for question S0 are drawn from the following list:

35	Blonde Ale	Cream Ale	Kölsch
36	Bohemian Pilsener	Classic American Pilsner	German Pilsner (Pils)
37	Bohemian Pilsener	German Pilsner (Pils)	Premium American Lager
38	Bohemian Pilsener	German Pilsner (Pils)	Standard American Lager
39	Brown Porter	Dry Stout	Robust Porter
40	Brown Porter	Mild	Southern English Brown Ale
41	Brown Porter	Munich Dunkel	Northern English Brown Ale
42	Brown Porter	Munich Dunkel	Schwarzbier
43	Brown Porter	Munich Dunkel	Southern English Brown Ale
44	California Common Beer	Irish Red Ale	Oktoberfest/Märzen
45	Classic American Pilsner	Lite American Lager	Standard American Lager
76	Classic Rauchbier	Oktoberfest/Märzen	Traditional Bock
46	Cream Ale	Kölsch	Munich Helles
47	Dark American Lager	Munich Dunkel	Schwarzbier
48	Doppelbock	Eisbock	Maibock/Helles Bock
49	Doppelbock	Eisbock	Traditional Bock
50	Doppelbock	Maibock/Helles Bock	Traditional Bock
51	Doppelbock	Traditional Bock	Weizenbock
52	Dortmunder Export	German Pilsner (Pils)	Munich Helles
53	Dry Stout	Foreign Extra Stout	Sweet Stout
54	Dry Stout	Robust Porter	Schwarzbier
55	Dunkelweizen	Roggenbier (German Rye Beer)	Weizen/Weissbier
56	Dunkelweizen	Weizen/Weissbier	Weizenbock
57	Düsseldorf Altbier	Irish Red Ale	North German Altbier
58	Düsseldorf Altbier	North German Altbier	Oktoberfest/Märzen
59	Düsseldorf Altbier	Oktoberfest/Märzen	Special/Best/Premium Bitter
60	Düsseldorf Altbier	Oktoberfest/Märzen	Vienna Lager
61	Eisbock	Maibock/Helles Bock	Traditional Bock
62	English Barleywine	Imperial Stout	Strong Scotch Ale
63	English Barleywine	Old Ale	Strong Scotch Ale
84	Extra Special/Strong Bitter (English Pale Ale)	Special/Best/Premium Bitter	Standard/Ordinary Bitter
64	Flanders Brown Ale/Oud Bruin	Flanders Red Ale	Straight (Unblended) Lambic
66	Foreign Extra Stout	Robust Porter	Sweet Stout
67	Fruit Lambic	Gueuze	Straight (Unblended) Lambic
68	German Pilsner (Pils)	Munich Helles	Schwarzbier
69	Irish Red Ale	North German Altbier	Oktoberfest/Märzen
70	Lite American Lager	Premium American Lager	Standard American Lager
71	Mild	Scottish Light 60/-	Standard/Ordinary Bitter

73	Munich Helles	Munich Dunkel	Oktoberfest/Märzen
74	Munich Helles	Oktoberfest/Märzen	Vienna Lager
75	North German Altbier	Oktoberfest/Märzen	Special/Best/Premium Bitter
77	Scottish Heavy 70/-	Scottish Export 80/-	Strong Scotch Ale
78	Scottish Light 60/-	Scottish Heavy 70/-	Mild
79	Scottish Light 60/-	Scottish Heavy 70/-	Scottish Export 80/-
80	Scottish Light 60/-	Scottish Heavy 70/-	Standard/Ordinary Bitter
81	Scottish Light 60/-	Scottish Heavy 70/-	Strong Scotch Ale
82	Scottish Light 60/-	Scottish Export 80/-	Strong Scotch Ale
85	Straight (Unblended) Lambic	Weizen/Weissbier	Witbier
86	Traditional Bock	Munich Dunkel	Oktoberfest/Märzen

Troubleshooting

T1. Describe and discuss the following beer characteristics: a) *characteristic-1*, b) *characteristic-2*, and c) *characteristic-3*. What causes them and how are they avoided and controlled? Are they ever appropriate and if so, in what beer styles? Address the following topics:

30%	Describe each characteristic and how it is perceived.
40%	Identify the causes and controls for each characteristic.
30%	Identify appropriate/inappropriate styles.

The choices will be drawn from:

a) cloudiness	b) buttery	c) low head retention
d) astringency	e) phenolic	f) light body
g) fruitiness	h) sourness	i) cooked corn
j) bitterness	k) cardboard	l) sherry-like
m) acetaldehyde	n) alcoholic	

T3. What are *body* and *mouthfeel*? Explain how the brewer controls body and mouthfeel in his/her beer. Cover the following topics:

50%	Describe body and mouthfeel.
50%	Explain how the brewer controls body and mouthfeel.

Ingredients

T4. Discuss hops, describing their characteristics, how these characteristics are extracted, and at least four distinct beer styles with which the different varieties are normally associated. Address the following topics:

30%	Describe hop characteristics.	
30%	Discuss how the hop characteristics are extracted.	
40%	Identify at least four distinct beer styles with which the different varieties are normally	

associated

T8. Discuss the importance of water characteristics in the brewing process and how water has played a role in the development of at least four distinct world beer styles. Address the following topics:

50%	Describe the importance of water characteristics in the brewing process.
50%	Describe the role of water in the development of at least four beer styles.

The Brewing Process

T9. Discuss the brewing techniques a) *kräusening*, b) *adding gypsum*, and c) *fining*. How do they affect the beer? Address the following topics:

50%	Discuss each characteristic.
50%	Describe their effect on the finished beer.

T10. What is meant by the terms *hot break* and *cold break*? What is happening and why are they important in brewing and the quality of the finished beer? Address the following topics:

30%	Describe each term.
30%	Identify what is happening.
40%	Describe why they are important in brewing and the quality of the finished beer.

T11. Describe and explain the role of *diastatic* and *proteolytic* enzymes in the brewing process and how they affect the characteristics of the finished beer. Address the following topics:

50%	Describe and explain the role of diastatic and proteolytic enzymes in the brewing process.
50%	Describe how they affect the finished beer.

T13. Explain what happens during the mashing process, including times and temperatures as appropriate. Describe three different mashing techniques and the advantages and disadvantages of each. Address the following topics:

50%	Explain what happens in the mashing process, including times and temperatures as appropriate.
30%	Identify and describe three mashing techniques.
20%	Identify and describe three different mashing techniques and the advantages and disadvantages of each.

T14. Provide a complete ALL-GRAIN recipe for a <STYLE*>, listing ingredients and their quantities, procedure, and carbonation. Give volume, as well as original and final gravities. Explain how the recipe fits the style's characteristics for aroma, flavor, appearance, mouthfeel, and other significant aspects of the style.

*Styles may include:

Belgian Tripel	Oktoberfest	Classic American Pilsner
Doppelbock	American IPA	Bohemian Pilsner
Robust Porter	Weizen	German Pilsner
Dry Stout	English Pale Ale	

10%	Target statistics (starting specific gravity, final specific gravity, and bitterness in IB or HBUs) and color (as SRM or a textual description of the color).				
20%	Batch size, ingredients (grist, hops, water, and yeast) and their quantities.				
35%	Mashing, boil, fermentation, packaging, and other relevant brewing procedures.				
35%	Explain how the recipe fits the style's characteristics for aroma, appearance, flavor, mouthfeel, and other significant aspects of the style; and describe how the ingredients and processes used impact this style.				

T15. This question addresses two separate ingredients, malt and yeast. Please provide the following information in your answer: (1) Identify and describe the different types of malts by their color and the flavor they impart to the beer, and give at least four distinct styles with which specific malts are associated. (2) Provide five distinct considerations in selecting the appropriate yeast strain for a given beer style.

25%	Identify types of malt.			
35%	Identify types of malt associated with at least four beer styles			
40%	Provide five distinct yeast strain selection considerations			

Example of a Complete Answer

Q: Describe and differentiate Abbey and Trappist beers. Give commercial examples of each⁷.

A: The primary difference between Abbey and Trappist beers is that the latter is an appellation which restricts its production to the seven Trappist monasteries in the Low Countries. They are Chimay, Orval, Achel, Rochefort, Westmalle and Westvleteren in Belgium and Schaapskooi in the Netherlands. Abbey beers on the other hand, are brewed either at non-Trappist monasteries or by commercial breweries to which Abbeys have licensed their names. Commercial examples of these include Affligem, Leffe and Grimbergen.

Both Abbey and Trappist breweries are best known for the dubbel and tripel styles. The former is a tawny beer with an OG in the 1.060-75 range, 6-7.5% alcohol, and enough bitterness to balance, approximately 15-25 IBUs. The color is generally deep ruby to brown and derived from both Belgian specialty malts and caramelized candi sugar. The flavor is dominated by a full-bodied malty sweetness reminiscent of plums, raisins and black currents. Ester levels are generally subdued by Belgian standards, but some examples do have moderate bubble-gum or banana esters. Tripels, on the other hand, are much paler in color at 3-5 SRM, but have higher OG (1.075-85) and alcohol levels (7.5-9 %). The malts used are almost entirely pilsner, with light candi sugar used to increase the alcohol content and prevent the beer from being too cloying. Hop rates are higher at 25-38 IBUs, with some noble hop flavor and aroma acceptable. The ester levels are often more

⁷ This question is NOT used on the exam.

assertive in this style, though the increased alcohol content should be subtle. Westmalle Dubbel and Tripel are classic examples of these styles.

Some Trappist breweries also produce beers which would better fit into the strong ale category due to high ester levels or unusual brewing procedures. In the latter category are Chimay (Premiere, Cinq Cents and Grand Reserve) and Rochefort (6, 8 and 10) brews, which have very distinctive signatures from the yeast. One of the most unusual beers in Belgium is made by Orval, the only (readily available) beer brewed by that monastery. It has a moderate gravity in the 1.055-60 range, is dry hopped with Styrian Goldings and undergoes a secondary fermentation with a mixture of five yeast strains that includes *Brettanomyces*. As the beer ages, the flavors become more complex, picking up leathery/oaky and even phenolic notes from the yeast.

E. BJCP Exam Study Course

Created by Scott Bickham in 1995 for those preparing for the BJCP Legacy Examination. The syllabus is still completely applicable to the three tier BJCP Exam Structure implemented in 2012.

The ten session course outlined below is a modification of ones that have been effective in preparing judges for the BJCP exam. One or two members of the study group are usually assigned to the task of collecting commercial and homebrewed examples of a given style. They should also prepare and distribute handouts that outline the background and characteristics of each style, as well as a technical topic relevant to the exam. All but one of the beers are then served blindly and discussed, with positive and negative attributes identified. After the tasting session, a technical topic concerning ingredients, the brewing process, or beer flavors is reviewed. Finally, the study group takes a mini-exam that consists of two essay questions taken from the BJCP question pool and judges the remaining beer using the BJCP beer scoresheet. The exam questions should be correlated with the style and technical information that was presented in the class, and there should be forty minute time limit that is well-matched to the three hours required for the actual exam. The total time for each class should be approximately three to four hours, depending on the number of commercial examples and depth of the presentations and discussions.

It should also be easy to persuade local beer experts to participate in the review sessions (bribery with free beer is very effective), but the work can also be divided among those studying for the exam. The commercial examples below are based on beers which were available in the Mid-Atlantic in the late 1990s, but a similar collection can be assembled in other geographic areas. The number of beers served in each class should be limited to 8-10, depending on the alcoholic strength and sample size, to prevent palate fatigue and promote responsible drinking. It is also recommended that a flat fee be charged for the class, payable in advance or at the first study session. The Brewers United for Real Potables homebrew club set this fee at \$50 for its most recent study course, and while this did not quite cover the actual expenses, the club gladly covered the remainder due to the intangible benefits of having an educated membership. This amount may seem a bit steep from the perspective of the participants, but keep in mind that they are tasting as many as one hundred commercial examples and picking up invaluable information about beers styles and the brewing process.

Class 1. Light Lagers: American Light (Budweiser, Coors, Michelob) and Pre-prohibition Pilsner, Bohemian and German Pilsners (Pilsner Urquell, Bitburger, DeGroen's), Dortmunder Export (Stoudt's Gold), Munich Helles (Augustiner Edelstoff Helles).

Technical topic: Malt, including the malting process, types, adjuncts, kilning and the styles with which different malts are associated.

Class 2. Amber and Dark Lagers: Vienna (Dos Equis, Negra Modelo), Oktoberfest/Märzen (Spaten, Paulaner), Munich Dunkel (Spaten), Schwarzbier (Köstrizer), Bock (Paulaner), Helles/Maibock (Ayinger, Fordham), Doppelbock (Paulaner Salvator, Ayinger Celebrator), Eisbock (Kulmbacher Reichelbraü).

Technical topic: Water, including minerals, pH, hardness, adjustment, and the effect on the development of world beer styles.

Class 3. Bitters and Pale Ales: Ordinary (Boddington's Draught), Special (Young's Ramrod, Fuller's London Pride), ESB (Fuller's), English and American Pale Ales (Bass, Whitbread, Sierra Nevada Pale Ale, Tupper's Hop Pocket), English and American IPA (Young's Special London Ale, Anchor Liberty, Sierra Nevada Celebration Ale), California Common (Anchor Steam).

Technical topic: Mashing, including types used for different beer styles, mash schedules and enzymes.

Class 4. Brown, Scottish and Strong Scotch Ales: Light and Dark Mild (Grant's Celtic Ale), English and American Brown (Newcastle, Sam Smith's Nut Brown Ale, Brooklyn Brown Ale, Pete's Wicked Ale), Scottish Light, Heavy and Export (McEwen's Export, Belhaven, MacAndrew's), Scotch (McEwen's, Traquair House).

Technical topic: Hops, including varieties, IBUs, hopping schedule and the association with different beer styles.

Class 5. Stout and Porter: Dry Stout (Guinness Draught, Murphy's), Sweet Stout (Watney's, Mackeson's), Oatmeal Stout (Anderson Valley Barney Flats, Young's), Foreign and Imperial Stout (Sheaf Stout, Sam Smith's Imperial Stout, Victory Russian Imperial Stout), Brown Porter (Anchor, Sam Smith's Old Taddy Porter), Robust Porter (Sierra Nevada).

Technical topic: Yeast and fermentation, including characteristics of different yeast strains, bacteria, byproducts and relationship to world beer styles.

Class 6. Barleywines and Old Ales: English Old Ale (Theakston's Old Peculier, Thomas Hardy, Hair of the Dog Adambier), English and American Barleywines (Young's Old Nick, Sierra Nevada Bigfoot, Anchor Old Foghorn, Rogue Old Crustacean, Dominion Millennium, Victory Old Horizontal).

Technical topic: Brewing procedures, including sparging, boiling, fining and carbonation methods. Reasons for each should be discussed, along with potential problems.

Class 7. German Ales, Wheat Beers and Rauchbiers: Düsseldorf and North German Alt (Bolten Alt, Fordham Alt), Kölsch (Reissdorf Kölsch), American Wheat (Pyramid Wheathook, Anchor Wheat), Bavarian Weizen (DeGroen's, Paulaner, Victory Sunrise, Schneider Weisse), Dunkelweizen (Hacker-Pschorr), Weizenbock (DeGroens, Schneider Aventinus), Berliner Weiss (Kindl), Bamberger Rauchbier (Kaiserdom, Schlenkerla).

Technical topic: Troubleshooting I, which includes a discussion of how positive and negative attributes are perceived and produced, the beer styles with which they may be associated and corrective measures. The flavor descriptors on the beer scoresheet or the BJCP Study Guide should be split into two sections.

Class 8. Strong Belgian and French Ales: Dubbel (Affligem, La Trappe), Tripel (Affligem, Westmalle), Strong Golden and Dark Ales (Duvel, Chimay, Orval, Scaldis, La Chouffe), Bière de Garde (Jenlain, 3 Monts), Saison (Saison du Pont).

Technical topic: Troubleshooting II.

Class 9. Other Belgian Ales: Oud Bruin and Flanders Red (Rodenbach Grand Cru, Liefman's Goudenband, Liefman's Framboise), Gueuze and Fruit Lambic (assorted Boon, Cantillon and Mort Subite), Wit (Celis White, Hoegaarden), Pale Ale (Corsendonk Pale, Celis Pale Bock).

Technical topic: Recipe formulation, including the selection of appropriate hops, malt, water, yeast and brewing procedure for different beer styles.

Class 10. Doctored beer seminar. This is an informative and practical method of learning how isolated flavors taste in beer. A clean lager is generally doctored with near-threshold amounts of compounds which either occur naturally in beer or mimic those that do. Examples include artificial butter for diacetyl, sherry for sherry-like oxidation, vodka for alcohol, almond extract for nuttiness, grape tannin for astringency, hop oils for hop flavor and aroma, and lactic and acetic acid for sourness. Recommended amounts are given in the

table below. Note that some of these compounds have very strong flavors, so they should be diluted in water or beer before adding to the base beer. For example, a detectable amount of lactic acid is approximately 0.4 ml of 88% USP lactic acid to a 12 oz. (355 ml^8) sample of beer. Since most of us do not have access to pipettes to measure such a small quantity, 1/8 tsp may be added to 3/8 tsp distilled water, and 1/3 tsp of this solution added to the reference beer. This is equivalent to adding 1/12 tsp times 5 ml/tsp, or approximately 0.4 ml of lactic acid.

Recommended amounts of several substances are listed in the table at the end of this section. For more information on doctored beer seminars, contact Jay Hersh at <u>bjcp_judge@doctorbeer.com</u> or refer to the Focus on Flavors column in Brewing Techniques. The base beer should be a clean light lager with a crown (non-twist-off) cap so that it can be resealed after doctoring. The amounts in the table below are appropriate in a 12 oz. (355 ml) sample, but may be scaled to larger volumes. Note that spices and other solids should be extracted in vodka, since the addition of dry substances to a carbonated beer will cause gushing. For the same reason, the beers and adulterants should also be chilled to the same temperature before combining.

The material in these classes can be comfortably covered in a time frame of three to five months, depending on the needs and experience of the study group. Shorter courses have the advantage of keeping the material fresh, while longer courses allow more intensive reading and reviewing in between classes. Note that the lead time required to schedule a BJCP exam is approximately three months, so keep this in mind when planning the study sessions. For more information, e-mail may be sent to the BJCP exam directors at exam director@bjcp.org.

⁸ The standard measure of canned and long-neck bottled beer in the United States.

Guidelines for Doctoring Beers

Flavor	Adulterant	Quantity		
Sour/Acidic	USP lactic acid	0.4 ml (1/3. tsp of solution of 1/8 tsp lactic acid plus 3/8 tsp distilled water)		
Sour/Acidic	White wine vinegar	3/4 tsp		
Bitterness	iso-hop extract	1 or 2 drops, to taste		
Sweetness	sucrose (table sugar)	1/4 tsp dissolved in 1/2 tsp water		
Astringency	Grape tannin	2 tsp of solution of 1/8 tsp tannin dissolved in 5 Tbsp water		
Phenolic	Chloroseptic	0.4 ml (1/3 tsp of solution of 1/8 tsp Chloroseptic plus 3/8 tsp distilled water)		
Clovelike Clove solution		Make solution of 8 cloves soaked in 3 oz. (90 ml) of beer and add liquid to taste (about 4 tsp)		
Sulfitic	Potassium metabisulfite ⁹	Make solution of one tablet dissolved in 3 oz. (90 ml) of beer and add to taste (about 1/2 tsp)		
Alcoholic	Ethanol	2 tsp (increases alcohol by 2.7%). 3 tsp vodka may also be used		
Sherry-like	Dry sherry	3/4 tsp		
Nutty	Almond extract	0.1 ml (1/8 tsp of solution consisting of 1/8 tsp almond extract plus 5/8 tsp. distilled water)		
Papery/Stale	N/A	Open bottles to air, reseal, and keep at 100 °F (40 °C) or warmer for several days		
Winey	White wine	2 Tbsp		
Diacetyl	Butter extract	4-5 drops		
Estery	Banana extract	6-7 drops		
Lightstruck	N/A	Expose commercial beer in green bottles to sunlight for 1-3 days ¹⁰		

 ⁹ Should not be tasted by persons with asthma or sulfite allergies.
¹⁰ While lightstruck commercial examples can be readily found, lightstruck homebrew is extremely rare in competition settings.

III. BJCP STYLE GUIDELINES

A. Introduction

by David Houseman

The BJCP Style Guidelines use some specific terms with specialized meaning: "Category", "Subcategory" and "Style." When thinking of beer, mead and cider styles, the subcategory is the most important label—"subcategory" means essentially the same thing as "style" and identifies the major characteristic of one type of beer, mead or cider. The larger "categories" (or "style families" are arbitrary groupings of beers, meads or ciders, usually with similar character but some subcategories are not necessarily related to others within the same category. The purpose of the structure within the BJCP Style Guidelines is to group styles of beer, mead and cider for competition purposes; do not attempt to derive additional meaning from these groupings.

Historically, types of beers were a consequence of the local water, ingredients and technology available at the time. In most cases, brewers did not set out to develop a specific "style," or type of beer. For example, the high sulfates in the hard water around Burton-on-Trent resulted in a drier flavor that accentuated the bitterness of well-hopped ales, while the soft water in Plzen enabled the brewers to produce a pale lager with a high hop bitterness and soft palate that would not be possible with hard water. Thus these classic styles were determined by the water of the region. Style guidelines also make distinctions between similar styles. There are a number of Pilsners brewed in Germany, and although there are variations, they can all be broadly classified in the German Pilsner style, but are sufficiently different from the Bohemian Pilsners to deserve a separate sub-classification in the beer taxonomy.

Beer styles are not static but change over time in history as ingredients, brewing technology and consumer demand change. For example, the IPA described in the style guidelines originated in the UK, but is now rarely brewed due to the high taxes imposed on beers of this strength. History and geography highly impact the development of brewing; it is important that BJCP judges have an understanding of these factors. The examinee should be able to discuss these factors on the exam and use this depth of knowledge when providing feedback to brewers.

The beers documented in the BJCP Style Guidelines are those that are most commonly brewed by homebrewers in the US. It is not a complete list of all known beers, even those available throughout the world today. This style guide is continually kept up to date as newer information is made available. Its purpose is to provide a definition of the commonly brewed beers which should be used by both the brewer and the judge as criteria against which each style is evaluated. The BJCP Style Guidelines are not intended to be the complete source of information for the prospective BJCP judge, although the latest edition is quite complete and thorough. It's recommended that the potential judge read and study Michael Jackson's <u>New World Guide to Beer</u> and <u>Beer Companion</u>, the *Classic Beer Style Series* and other sources of information to obtain a complete understanding of the history, geography, and characteristics of the beers described in the BJCP Style Guidelines. The BJCP Style Guidelines, however, should serve as an accurate, quick reference to the different types of beers.

Most of the figures for starting gravity (SG), percent alcohol by volume (v/v), International Bittering Units (IBU) and color (degrees Lovibond or SRM) are taken from one of several sources assimilated by the BJCP Style Committee, including brewers of well-regarded commercial examples.

To receive full credit for beer style questions on the BJCP exam, examinee should provide at least approximate SG and IBU ranges for the style and, where relevant, other parameters such as alcohol content.

It is strongly suggested that the section of this study guide providing sample exam questions pertaining to beer styles be read carefully. These provide an indication of the range and type of questions to expect on the BJCP exam. You will note that not only will you potentially be asked to "describe" styles but also to "differentiate" among them. In this case, it is expected that you will be able to compare the similarities and differences of the indicated styles. In almost all cases, the examinee is expected to provide relatively well known commercial examples of different styles requested on the exam. While the examinee may not have traveled to the respective countries to try local commercial beers or these beers may not be available in your area, it still is expected that you will have knowledge of the commercial examples from the BJCP Style Guidelines, Michael Jackson's books and other references.

LAGERS are produced using bottom-fermenting lager yeasts, *Saccharomyces pastorianus* (formerly known as *S. uvarum* or *S. carlsbergensis*). This family of yeasts works well at lower temperatures, generally between 45 and 55 °F (7 and 13 °C). This colder fermentation reduces or eliminates the production of esters and other flavor components, generally resulting in a cleaner tasting beer. During the fermentation and lagering process, at temperatures down to approximately 32 °F (0 °C), the lager yeast remains active, continuing to reduce fermentation by-products, resulting in a cleaner, mellower flavor in the finished beer. Lagers are a relatively new beer style, only produced commercially after the introduction of mechanical refrigeration in the 1800s.

ALES are produced using top fermenting ale yeast, *Saccharomyces cerevisiae*. These strains of yeast works at warmer temperatures and ferment out faster than their lager counterparts. Fermentation byproducts such as fruity, estery flavors are usually evident and make up a significant part of the ale profile. Ale yeast are usually temperature-sensitive and will flocculate and become dormant when lagered at cool temperatures for extended periods of time.

MIXED STYLES use one or more variations of temperature and yeasts, such as fermentation with ale yeast at colder temperatures, use of ale and lager yeasts in combination, use of lager yeasts at warmer, ale-like temperature, or use of special yeast strains.

BELGIAN STYLES are generally ales, but with sufficient differences in process and taste profile to warrant their inclusion as a separate style section. Some Belgian styles, such as the Lambics, use a combination of wild yeasts and various bacteria in their fermentation process.

The **SPECIALTY**, **CIDER** and **MEAD** categories should be understood by the potential BJCP judge since s/he will not know in advance which categories s/he may have to judge in an actual competition and a judge should be prepared to judge any category. However, they are not required knowledge for the BJCP Beer Exam.

The BJCP Style Guidelines were extensively revised in 2004, and a minor update was produced in 2008. The current style guidelines can be found on the BJCP Website in the Style Center: <u>http://www.bjcp.org/stylecenter.php</u>.

The BJCP Beer Exam only covers beer styles. No meads or ciders are on the exam. No fruit, spice or specialty beers are covered on the exam. A separate BJCP Mead Exam has been implemented, and a separate BJCP Cider Exam is planned for the future.

IV. INGREDIENTS AND THE BREWING PROCESS

A. Water

by Ginger Wotring

Water constitutes 85-90% of beer, with the remainder being compounds derived from malt, hops, and yeast. As a general rule, if it is drinkable, it may be used in brewing, although some adjustments may be needed to mimic the water used in some historical beer styles. Most tap water is also treated with chlorine to inhibit bacterial growth, and this should be removed to produce high-quality beer. Chlorine gas may be eliminated by boiling, but charcoal filtration or Campden tablets must be used to eliminate the more commonly used chloramines. If reverse osmosis (RO) water is used, note that the RO process strips out trace minerals such as iron, manganese, copper, and zinc, so yeast nutrients might need to be added to compensate. These minerals are essential for a healthy fermentation, so mineral water is often a better choice than reverse osmosis or deionized water. Finally, most water contains very low concentrations of bacteria, so it must be sterilized by boiling at some point in the brewing process.

Alkalinity, pH and Hardness

Water is a solution of ions with negative (anions) and positive (cations) charges. The water molecules (H_2O) themselves are also partially dissociated into hydroxide (OH⁻) and hydrogen (H⁺) ions, and the *pH*, a chemical shorthand term referring to the concentration of hydrogen ions, indicates the relative concentrations of these ions. Neutral water has equal OH⁻ and H⁺ concentrations corresponding to a pH of exactly 7. Lower pH values indicate a higher H⁺ concentration and acidic water, while higher pH values correspond to a higher OH⁻ concentration and thus alkaline water. In brewing, the pH is determined by the hardness, alkalinity and buffering salts derived from the ingredients.

Alkalinity is a measure of the capacity of the dissolved anions to neutralize reductions in the pH value of the solution. The most important anion at the pH of brewing water and wort is bicarbonate (HCO₃⁻), because HCO₃⁻ is the primary ion that determines the alkalinty of water. Bicarbonate reacts with Calcium (Ca⁺²) ions when boiled to form a calcium carbonate precipitate and water:

$$Ca^{+2} + 2HCO_3 = CaCO_3 (ppt) + H_2O + CO_2 (gas)$$

Boiling drives off CO_2 , thus forcing Calcium and HCO_3^- ions from solution and reducing the alkalinity. *Permanent hardness* is a measure of the cations that remain after boiling and racking the water from the precipitate, and is primarily due to Ca^{+2} and Magnesium (Mg^{+2}) ions. These cations are permanent if they are derived from sulfate or chloride salts and temporary if they originate in carbonate or bicarbonate salts.

An important process in brewing that helps adjust the pH of the mash is the enzymatic degradation of phytin in the malt to form phytic acid and calcium or magnesium phosphates, which precipitate. Most of the phytic acid combines with free Ca^{+2} to form more calcium phosphate, releasing hydrogen ions in the process. This reaction generally takes place during the acid rest and regulates the mash pH to the 5.2-5.7 range, which is appropriate for the breakdown of starches and proteins. Some water supplies have too much alkalinity for this process to be effective, in which case the mash pH must be reduced to the proper level by adding lactic or phosphoric acid to the brewing liquor.

lons in Brewing

The most important cation in brewing is calcium, which is essential for reducing the mash pH to the appropriate range, keeps oxalate salts in solution (they form haze and gushing if they precipitate), reduces the extraction of tannins, and assists in protein coagulation in the hot and cold breaks. Magnesium ions participate in the same reactions, but are not as effective. Yeasts require 10-20 ppm Mg as a nutrient, but higher amounts give a harsh, mineral-like taste. Another cation is sodium, which accents the sweetness at low levels, but tastes salty at higher concentrations.

The most important anion in brewing is bicarbonate (HCO₃⁻), because it determines the alkalinity of the brewing water. Bicarbonate neutralizes acids from dark and roasted malts, reacts with calcium to reduce the hardness and promotes the extraction of tannins and coloring compounds. It is normally in solution with small amounts of carbonate (CO₃⁻²) ions, but the bicarbonate is by far the most important component at typical pH values of water and wort. The sulfate (SO₄⁻²) ion does not play a significant role in the brewing process, but accents hop bitterness and dryness at the high concentrations found in the waters at Burton-on-Trent. Another anion is chloride (Cl⁻), which enhances sweetness at low concentrations, but high levels can hamper yeast flocculation.

Famous Brewing Waters

The ions described above are found in different concentrations depending on the source of the water, as shown in the table below for several major brewing centers (data is in ppm and taken from Greg Noonan's water workshop at the 1991 AHA Conference):

Mineral	Calcium	Magnesium	Sodium	Sulfate	Bicarbonate	Chloride
Plzen	7	2	2	5	15	5
Dortmund	225	40	60	120	180	60
Munich	75	18	2	10	150	2
Vienna	200	60	8	125	120	12
Burton	275	40	25	450	260	35
Dublin	120	5	12	55	125	20
Edinburgh	120	25	55	140	225	65
London	90	5	15	40	125	20

These water compositions have played an important role in the development of world beer styles. In London, Dublin and Munich, the high bicarbonate content is needed to balance the acidifying properties of the dark and roasted malts used in porters, stouts and bocks. When brewing pale beers with this type of water, the mash pH generally needs to be reduced through an acid rest, the use of acid malt or directly adding lactic or phosphoric acid to the brewing liquor to reduce its alkalinity. The water at Burton is extremely hard, and the high concentrations of sulfate and magnesium ions lend a dryness that accents the hoppiness of English bitters and pale ales from this region. On the other end of the spectrum is Plzen, which has very low concentrations of dissolved ions (which is not the same as being very

soft¹¹). The adoption of decoction mashing may have been in part due to the lack of minerals in the water, along with the use of undermodified malts. The elaborate series of temperature steps in a decoction mash helps the various enzymatic reactions proceed at a reasonable rate, even though the enzymes are working slowly due to the lack of calcium.

Water Adjustment

The waters at these brewing centers may be reproduced by adding various salts to locally available water. For additions meant to improve the buffering capacity of the mash, use the volume of your mash for your calculations. For salt additions to change flavor in the finished beer, the target volume of the finished beer should be used. The most common salt additions are gypsum (CaSO₄.2H₂O -- CaSO₄ hydrated with two water molecules), Epsom salts (MgSO₄.7H₂O), non-iodized table salt (NaCl), calcium carbonate (CaCO₃) and calcium chloride (CaCl₂.H₂O). The addition of gypsum and Epsom salts is known as Burtonizing, since it elevates the hardness and sulfate concentrations to levels similar to that found at Burton-on-Trent. Other salts may be used, but these are by far the most common additives in brewing.

Further Reading

- 1. Dave Miller, Dave Miller's Homebrewing Guide (Garden Way Publishing, Pownal, VT 1996).
- 2. Gregory J. Noonan, <u>New Brewing Lager Beer</u> (Brewers Publications, Boulder, CO, 1996).
- 3. George Fix, Principles of Brewing Science (Brewers Publications, Boulder, CO, 1989).

¹¹ "Soft" water simply has low concentration of Calcium and Magnesium cations. It can have higher concentrations of other dissolved minerals. "Soft" water is the opposite of "hard" water, which makes it "hard" for soap to lather due to high concentrations of Calcium and Magnesium. A home water softener operates on the principal of ion exchange, substituting sodium for calcium (not a desirable outcome for brewing). "Soft" and "hard" water are thus not very useful brewing terms.

B. Malts and Adjuncts

by Dave Sapsis

Barley Malt

Barley is the most common source of the fermentable sugars in beer. The barley kernel is the seed of a plant of the grass family, *Gramineae*. Barley malt is formed by sprouting barley kernels to a desired length, then stripping off the rootlets and kilning (drying) the kernels to a specific color. These kernels consist of a germ, which is the actual germinating portion, and the endosperm, which is the starch or reserve food source for the germinating embryo. Both are surrounded by the husk, which is almost all cellulose. The acrospire is the portion of the developing plant that will become the above-ground shoot. Growing from the germ, the length of the acrospire has historically been used as an index of malt progress. As germination proceeds, enzymes acting on both proteins and carbohydrates are activated and transformed. The degree of germination is called modification; modification usually refers to the degree to which the protein/gum matrix of the endosperm has been broken down, and the degree to which proteins have become soluble in water.

A variety of measures can be used to indicate the degree of modification of malt. It is important to recognize that while the malting process is designed to initiate enzyme development that will be used to catalyze mashing reactions, the effects of varying malting regimes is dependent on barley strain. While undermodified malts usually have a more complete set of enzymes, they also have more proteins that require additional enzymatic breakdown to avoid protein-polyphenol induced haze (i.e., chill haze). The goal of the maltster is to accomplish the appropriate degree of protein degradation and starch availability, while not allowing too much carbohydrate substrate to be used up in plant development. Thought of another way, the maltster tries to manage desirable malt characteristics while still maximizing the potential yield from the barley.

It has become increasingly difficult to find truly undermodified malt that requires extensive protein rests as part of the mashing schedule. Measured both as a function of soluble Nitrogen (Kolbach Index) and as coarse:fine difference in extract, most modern malts have undergone a high level of protein degradation and most of the formerly bound starch is free in the friable endosperm. While there is no *de facto* assurance that malt will be suitable for brewing to a particular style, it is beneficial to understand modern barley growing and malting practices.

Selection

Two types of barley are commonly used in brewing. They are distinguished by the number of fertile flowers on the heads along the central stem. Two-row barley (*Hordeum vulgare*) has only two of the six flowers on the head fertile and able to produce kernels. Six row barley has all kernels fertile. An intermediate variety, called four-row, is in fact a six-row variety. It is not widely used in brewing due to the high protein content of the kernels.

Two-row barley will have bigger kernels, and thus higher yield than six-row. It usually has a lower nitrogen and protein content and also has a lower husk content, which makes 2-row beers taste less grainy. Six row barley, however, generally gives more yield per acre and has a higher diastatic power (more enzymes), so it is the choice whenever large amounts of adjuncts are used. The extra husk content of six-row also aids in providing a lautering filterbed.

Malting

The process of malting is done to convert the large, insoluble starch chains of the endosperm to watersoluble starches, and to activate both the proteolytic and diastatic enzymes that will reduce the proteins and starches into desirable components in the mash. The most important enzymes for malting are debranching enzymes, which break 1-6 links in α -glucans, and β -amylase, which produces maltose units by breaking 1-4 links near reducing ends. During the germination phase, the cell walls are broken down by the cytase enzyme complex, which includes hemicellulases and the β -glucanases. This clears a path for other enzymes into the endosperm so that degradation can proceed more easily.

Malting is basically sprouting the grains to a desired modification. The acrospire grows from the germ end of the corn to the opposite end. The ratio of the acrospire length to the length is the degree of modification, expressed as a percent or ratio. A ratio of 1.0 is indicative of fully-modified malt. Such a malt will be low in protein content and will have the endosperm almost fully converted to water-soluble gum. However, the starch content and potential yield will be reduced through its consumption during the growth of the acrospire and the rootlets.

American and Continental malts are generally less modified. Continental malt is modified only to 50-75%, which retains more of the endosperm for fermentability and creates greater nitrogen complexity, but at the price of reduced enzyme activity. American six-row is also modified to between 50-75%, but the higher protein and nitrogen content of six-row gives greater enzyme strength. Both Continental and American malts require a protein rest (at ~122 °F, 50 °C) to degrade the albuminous proteins into fractions that can be both used to promote yeast growth and give good head retention.

The barley is steeped in 50-65 °F (10-18 °C) water for about two or three days, then allowed to germinate for six to ten days between 50 and 70 °F (10 and 20 °C). The acrospire will usually grow to 50% at about the sixth day of germination. At the end of germination, the malt is gradually raised in temperature to 90 °F (30 °C), held there for 24 hours to permit enzyme action, and then gradually raised to 120 °F (50 °C). It is held at this temperature for 12 hours to dry the malt, as it is essential that the malt be bone-dry before being heated to kilning temperatures to prevent the destruction of the enzymes.

Kilning

Kilning, or roasting the malt, combined with the degree of modification, determines the type and character of the grain. Vienna malts are low-kilned at around 145 °F (63 °C), British and American pale malts at between 130 and 180 °F (55 and 80 °C) and Czech malts are raised slowly from 120 to 170 °F (50 to 75 °C) to dry, and then roasted at 178 °F (80 °C). Dortmund and Munich malts are first kilned at low temperatures before the malt has dried, then the temperature is slowly raised to 195-205 °F (90-95 °C) for Dortmunder malt, and 210 to 244 °F (100-120 °C)for Munich malt. This process creates flavor and body-building melanoidins from amino acids and malt sugars. Amber malt is well-modified, and then dried and rapidly heated to 200 °F (95 °C). The temperature is then raised to 280-300 °F (140-150 °C) and held there until the desired color is reached.

Crystal and caramel malts are fully modified, then kilned at 50% moisture content. The temperature is raised to 150-170 °F (65-75 °C) and held for 1 1/2 to 2 hours. This essentially mashes the starches into sugars inside the grain husk. The malt is then heated to the final roasting temperature, with the time and temperature determining the Lovibond color index.

Chocolate and Black Patent malts are undermodified (less than 1/2), dried to 5% moisture, then roasted at 420-450 °F (215-230 °C) for up to two hours, depending on the degree of roastiness desired. The high heat helps degrade the starches, so no protein rest is require for these malts even though they are not fully modified. Malts kilned over smoky beechwood fires, as in Bamberg, pick up a rich, heavy smokiness (which is imparted to the beer) from the phenols in the smoke. Whiskey malt is made in a similar manner by smoking over peat fires.

Kilning at the maximum temperature is generally done only until the grains are evenly roasted. They are then cooled to below 100 $^{\circ}$ F (40 $^{\circ}$ C) and the rootlets removed. Malts should be allowed to rest for a month or so before being mashed.

Other Malted Grains

The most widely used malted grain besides barley is wheat, which is a key ingredient in German and American wheat beers and used in small quantities in others to improve head retention. It has sufficient diastatic power to breakdown its own proteins and starches, but since it does not have a husk, it is usually mashed with barley malt in order for an adequate filter bed to be formed during the lautering stage. The protein and β -glucan content of wheat is high compared to barley, so a more extensive mash schedule with an extended protein rest may be needed when large quantities are used. Other malted grains used in brewing include rye, oats and sorghum, but these are more commonly used in their raw forms.

Malt Content

The barley corn contains sugars, starches, enzymes, proteins, tannins, cellulose, and nitrogenous compounds for the most part. The starches will be converted into simple and complex sugars by diastatic enzymes during the mash. Proteins in the kernel serve as food for the germ. These are primarily reduced by proteolytic enzymes into polypeptides, peptides and amino acids. Since enzymes are proteins, the protein content of the malt is an indication of its enzymatic strength. Peptides of the B-complex vitamins are also present and necessary for yeast development. The phosphates in the malt are responsible for the acidification of the mash and are used by the yeast along with other trace elements during the fermentation.

Cellulose, polyphenols and tannins are present in the husk and can lead to harsh flavors in the finished beer if they are leached out by hot or alkaline sparge water. Fatty acids and lipids support respiration of the embryo during malting, but oxidative off flavors and low head retention may result if excessive levels are carried into the wort. Hemicellulose and soluble gums are predominantly polysaccharide in nature and for about 10% of the corn weight. The gums are soluble, but the hemicellulose must be reduced by the appropriate enzymes into fractions that permit good head retention, otherwise they may cause clarity problems in the finished beer.

Cereal Adjuncts

Unmalted cereal grains have been introduced into brewing because they offer a cheap source of carbohydrates and tend to make a minimal contribution to the wort protein level. They can therefore be used in conjunction with high-protein malts such as American 6-row to give a more fermentable wort and a less filling beer. The starches must be gelatinized before mashing, either by doing a preliminary boil in the double-mash procedure or by flaking them through hot rollers. The most common cereal

grains are corn (flaked maize, refined corn grits, corn starch or corn grits), rice grits, sorghum (in Africa), flaked barley, flaked rye and wheat (hard red winter wheat or flaked wheat). The corn and rice adjuncts are used heavily in the American light lager styles, while raw wheat is a key ingredient in Belgian white and lambic beers.

Other Adjuncts

An adjunct is defined as any unmalted source of fermentables in brewing. These include corn and cane sugars, which provide a cheap source of sugar, but are fully fermentable and tend to yield more alcohol and dry out the beer. Honey is a common adjunct in specialty beers, and although it contributes some aromatics, the high sugar content tends to make a beer thinner and more alcoholic than its all-malt counterpart. To achieve a fuller palate, malto-dextrin syrup or powder may be used, but the dextrin content may also be increased by adjusting the malt bill or mashing procedure. Finally, adjuncts that add color, flavor and fermentables include caramel, molasses, maple syrup and licorice.

Color

Beer color is determined by the types of malts used, and is an important characteristic of any style. Two scales are used for color determination - the EBC scale used in Europe, and the SRM scale in the USA. Both scales go from low to high, with low numbers referring to lighter colors. For example, an American light lager would be around 2-3 SRM, a Pilsner between 2-5, an Oktoberfest in the 7-14 range, and a traditional bock in the 14-22 range. Some stouts can be over 60 degrees in color and are essentially opaque. The beer color is primarily determined by the malt, but factors such as the intensity and length of the boil also play a role. For a detailed discussion of beer color, the reader is referred to Ray Daniels' three-part series on beer color that begins in the July/August 1995 issue of Brewing Techniques.

Further Reading

- 1. Dave Miller, Dave Miller's Homebrewing Guide, (Garden Way Publishing, Pownal, VT 1996).
- 2. Gregory J. Noonan, New Brewing Lager Beer, (Brewers Publications, Boulder, CO, 1996).
- 3. George Fix, <u>Principles of Brewing Science</u>, pp. 22-47, 87-107 (Brewers Publications, Boulder, CO, 1989).
- 4. George and Laurie Fix, <u>An Analysis of Brewing Techniques</u>, pp. 10-14 (Brewers Publications, Boulder, CO, 1997).

C. Wort Production

by David Houseman and Scott Bickham

Mashing

The primary goal of mashing is to complete the breakdown of proteins and starches that was begun during the malting process. This is accomplished by several groups of enzymes that degrade different substrates during a series of rests at specific temperatures.

Acid Rest

With pale lager malts, this enzymatic degradation begins with the acid rest, where phytase breaks down phytin into calcium- and magnesium-phosphate and phytic acid. This helps acidify the mash when the brewing water has low calcium content and roasted grains are not part of the grist. This rest occurs at temperatures in the 95-120 °F (35-50 °C) range. Another group of active enzymes in this range are the β -glucanases, which break down hemicellulose and gums in the cell walls of undermodified malts. Some adjuncts, particularly rye, have high levels of these substances, and stuck mashes or other problems can result if they are not degraded to simpler substances by the β -glucanases.

Protein Rest

For most malts, the mash begins with the protein rest, which is normally carried out at temperatures in the 113-127 °F (45-53 °C) range. This process begins with the proteinases, which break down high molecular weight proteins into smaller fractions such as polypeptides. These polypeptides are further degraded by peptidase enzymes into peptides and amino acids, which are essential for proper yeast growth and development. Proteins of molecular weight 17,000 to 150,000 must be reduced to polypeptides of molecular weight 500-12,000 for good head formation, and some of these further reduced to the 400-1500 level for proper yeast nutrition.

Starch Conversion

The final enzymatic process involves the conversion of starches into dextrins and fermentable sugars. The starches must be gelatinized for this to take place, and this occurs at temperatures of 130-150 °F (55-65 °C) for barley malt. The gelatinization temperature is higher for raw grains, such as corn grits, so these adjuncts must be boiled or hot-flaked before adding to the mash. The breakdown of starches is carried out by the combined action of debranching, α -amylase and β -amylase enzymes during the saccharification rest. Debranching enzymes break the 1-6 links in starches, reducing the average length and complexity of the molecules. The diastatic, or amylase, enzymes work in tandem, with the β -fraction breaking off maltose units from reducing ends and the α -fraction breaking 1-4 links at random. Temperatures below 150 °F (65 °C) favor β -amylase, producing a more fermentable wort, while temperatures above 155 °F (68 °C) favor α -amylase, producing a more dextrinous wort.

The simplest sugars produced in the above manner are monosaccharides, with only one basic sugar structure in the molecule. Monosaccharides in wort include glucose, fructose, mannose and galactose. Disaccharides are made up of two monosaccharides coupled together, and include maltose, isomaltose, glucose, melibiose, and lactose. Trisaccharides (three monosaccharides) include maltotriose, which is

slowly fermentable and sustains the yeast during lagering. Oligosaccharides constructed of glucose chains (many monosaccharides joined together), are water soluble and called dextrins. The relative concentrations of these sugars are determined by the types of malt and whether the mash schedule favors α -amylase or β -amylase activity.

Mash-out

After this phase is completed, many brewers mash-out by raising the temperature of the mash to 168 $^{\circ}$ F (76 $^{\circ}$ C) and holding it there for several minutes. This ensures the deactivation of the amylase enzymes, halting the conversion of dextrins to fermentable sugars. It also reduces the viscosity of the wort, helping to make the lautering easier and more efficient. There is some controversy whether this step is necessary depending on the final mash temperature. However, it is generally agreed that the best extraction rates are achieved when the mash is heated to this range.

Mashing Procedures

The mashing process begins by doughing-in the crushed grains with approximately 1-2 liters of water per pound of grain (2-4 liters per kilogram). The starch granules take up water with the aid of liquefaction enzymes, and the rests described above are carried out according to the degree of modification of the malt. The simplest mashing method is the single-step infusion, where the malt is combined with hot water to reach a temperature appropriate for starch conversion. This is the method of choice for fully-modified malts such as those used to brew British ales. It has the advantage of requiring a minimum of labor, equipment, energy and time, but prohibits the use of undermodified malt or adjuncts. A step-infusion mash allows a little more flexibility by moving the mash through a series of temperature rests. The temperature is increased by external heat or the addition of boiling water. This requires more resources than a simple infusion mash, but undermodified malts may be used.

Decoction mashing involves the removal of a thick fraction of the mash (usually one-third) and running it through a brief saccharification rest at a relatively high temperature. It is then boiled it for 15-30 minutes before mixing it back into the main mash. This is repeated as many as three times, depending on the modification of the malt and the beer style. The decoction helps explode starch granules and break down the protein matrix in undermodified malt, improving the extraction efficiency, and also promotes the formation of melanoidins. These compounds are formed from amino acids and reducing sugars in the presence of heat and are responsible for the rich flavors in malty lagers. This mashing method is the most resource intensive, but is the traditional method for many lagers. A possible side-effect of the extended mash schedule is the extraction of higher levels of tannins and DMS precursors from the grain husks, though this is not significant at typical mash pH levels.

A fourth mashing method is the double mash, which can be viewed as a combination of infusion and decoction. As the name implies, it involves two separate mashes: a main mash consisting of crushed malt, and a cereal mash consisting of raw adjuncts and a small charge of crushed malt. The latter is boiled for at least an hour to gelatinize the starches and is then added to the main mash, which has undergone an acid rest. The mixture is then cycled through protein and saccharification rests using the step-infusion method. The double mash is the most common way of producing beer styles such as American light lagers that contain a high proportion of corn grits or rice.

Lautering

Lautering is the process of separating the sweet wort from the grain fractions of the mash. It is usually done in a vessel—appropriately called a lauter tun—that holds the grain and wort with some form of strainer in the bottom to separate the liquid wort from the grain. In most homebrewing setups, the mash tun, where the mash process occurs, and the lauter tun are the same unit. Where the brewer chooses to utilize two vessels and convey the mash contents from the mash tun to a special purpose lauter tun care must be taken to not introduce oxygen into the hot wort. This hot side aeration can introduce oxidative off flavors the finished beer that are often perceived as sherry-like, wet paper or cardboard-like.

Lautering consists of draining the wort off the grain and sparging, or the addition of hot liquor (treated brewing water) to the top of the grain bed to rinse the sugars from the grain. This procedure should be done slowly, with the wort returned to the tun until the run-off is clear. This initial runoff and return of wort to the lauter tun is called a vorlauf and is critical to preventing astringency and haze in the finished beer. Lautering too fast will give poor yield, poor extraction rates, and possibly flush starch and protein fractions into the wort. Failing to re-circulate the initial runoff through the lauter tun until it is reasonably clear will have a similar effect.

A temperature range of 160-170 °F (70-77 °C) should be maintained throughout the entire process; this ensures that the greatest extraction of sugars from the grain without excess tannin extraction from the husks. Temperatures above 170 °F (77 °C) will leach tannins and permit undissolved starch balls to explode and get past the filterbed, and gums and proteins may also be released into the wort. This starch will pass on to the finished beer without being fermented until broken down over a period of time by wild yeast or bacteria present.

Another potential problem is a stuck sparge, which may be caused by an inadequate amount of filtering material in the grain bed—usually barley husks—that allow wort to pass freely while holding back the bits of material to be filtered. When mashing with high quantities of wheat or rye malt that will not have their own husks to aid as a filter, it's usually necessary to add additional filter material such as rice hulls, which themselves are neutral to the flavor or gravity of the resulting beer. Wheat, rye, oats and some other cereal grains also contribute a much higher proportion of gums that can help cause a stuck mash. These often require a β -glucanase rest in order to break down these gums and aid the resulting sparge.

Sparging is the addition of rinse water, or hot liquor, to the lauter tun. In general, the water chemistry of the sparge water should match that used in mashing. The pH should be approximately 5.7 in order to prevent the mash pH from exceeding 6.0, which promotes the extraction of excess tannins.

The sparge rate should be slow, with the water (at 170 °F, 77 °C) added gently so that the filter bed is not disturbed. A hydrometer reading of the first runs from the tun should be about twice the value desired in the finished beer. If not, it should be returned to the tun. Sparging should cease when the gravity drops to below about 1.010 or the pH of the runoff increases above 6.0. Monitoring of the runoff is essential in order to stop the collection of wort before excess tannins are extracted. Learning to taste the sweet wort to recognize when to stop the collection will provide the brewer with an intimacy of the process that doesn't require the use of the hydrometer or pH meters and papers.

Boiling

Boiling wort is normally required for the following reasons:

- 1) Extracts, isomerizes and dissolves the hop α -acids
- 2) Stops enzymatic activity
- 3) Kills bacteria, fungi, and wild yeast
- 4) Coagulates undesired proteins and polyphenols in the hot break
- 5) Evaporates undesirable harsh hop oils, sulfur compounds, ketones, and esters.
- 6) Promotes the formation of melanoidins and caramelizes some of the wort sugars (although this is not desirable in all styles)
- 7) Evaporates water vapor, condensing the wort to the proper volume and gravity (this is not a primary reason, it's a side effect of the process)

A minimum of a one hour boil is usually recommended for making quality beer. When making all grain beer, a boil of 90 minutes is normal, with the bittering hops added for the last hour. One exception to boiling was historically used to brew the Berliner Weisse style. Here, the hops were added to the mash tun, and the wort is cooled after sparging and then fermented with a combination of lactobacillus from the malt and an ale yeast.

Boiling for less than one hour risks under-utilization of hop acids, so the bitterness level may be lower than expected. In addition, the head may not be as well formed due to improper extraction of isohumulones from the hops. A good rolling boil for one hour is necessary to bind hop compounds to polypeptides, forming colloids that remain in the beer and help form a good stable head. An open, rolling boil aids in the removal of undesired volatile compounds, such as some harsh hop compounds, esters, and sulfur compounds. It is important to boil wort uncovered so that these substances do not condense back into the wort.

Clarity will be also be affected by not using at least a full hour rolling boil, as there will not be a adequate hot break to remove the undesired proteins. This will also affect shelf life of the bottled beer, since the proteins will over time promote bacterial growth even in properly sanitized beer bottles. The preservative qualities of hops will also suffer greatly if the wort is not boiled for one hour, as the extraction of the needed compounds will be impaired.

Boiling wort will also lower the pH of the wort slightly. Having the proper pH to begin the boil is not normally a problem, but if it is below 5.2, protein precipitation will be retarded and carbonate salt should be used to increase the alkalinity. The pH will drop during the boil and at the conclusion should be 5.2-5.5 in order for proper cold break to form and fermentation to proceed normally. Incorrect wort pH during the boil may result in clarity or fermentation problems.

The effects of boiling on the wort should match the intended style. It is often desirable to form melanoidins which are compounds produced by heat acting on amino acids and sugars. These add a darker color and a maltier flavor to beer. When desired, an insufficient boil will not form enough melanoidins for the style. Boiling the initial runnings of high gravity wort will quickly caramelize the sugars in the wort. This is desired in Scottish ales, but would be inappropriate in light lagers.

Vigorously boiling wort uncovered will evaporate water from the wort at a rate of about one gallon (four liters) per hour, depending the brewing setup. In order to create a beer with the appropriate target

original gravity, changes in the wort volume must be taken into account. Longer boil times or additions of sterilized water may be required to hit the target gravity.

Chilling

After boiling for a sufficient amount of time, the wort should be chilled at rapidly as possible, using either an immersion or counter-flow system. This minimizes the risk of contamination by *Lactobacillus* or wort-spoilage bacteria and produces an adequate cold break. This cold break consists of protein-protein and protein-polyphenol complexes and is often promoted by the addition of Irish moss to the kettle near the end of the boil. There is some debate on whether the cold break should be completely removed. On one hand, it can provide carbon skeletons that can be used by the yeast for sterol synthesis, but on the other, excessive levels may lead to elevated levels of esters and fusel alcohols and promote the formation of chill or permanent haze in the finished beer.

Further reading

- 1. Dave Miller, Dave Miller's Homebrewing Guide (Garden Way Publishing, Pownal, VT 1996).
- 2. Darryl Richman, Bock (Brewers Publications, Boulder, CO, 1994).
- 3. Gregory J. Noonan, New Brewing Lager Beer (Brewers Publications, Boulder, CO, 1996).
- 4. George Fix, <u>Principles of Brewing Science</u> (Brewers Publications, Boulder, CO, 1989).
- 5. George and Laurie Fix, <u>An Analysis of Brewing Techniques</u> (Brewers Publications, Boulder, CO, 1997).

D. Hops

by Peter Garofalo

Introduction

Hops are the spicy and bitter counterpart to the malt backbone of beer; they are essential to beer as we know it. Prior to the widespread acceptance of hops, various bitter herbs, seasonings, and spices were used to balance the malt sweetness. Hops also contribute many secondary attributes to beer: they provide a measure of bacteriological stability, aid in kettle coagulation, and contribute to a stable head.

Brewers' hops are the cone-like flower of the *Humulus lupulus* vine, a relative to the cannabis plant. The essential ingredients are concentrated in the lupulin glands, located at the base of the bracteoles, or leaves of the cone. The bracteoles are attached to the central stem of the hop cone (strig). The lupulin resin contains alpha acids and essential oils that contribute the characteristic bitterness, flavor, and aroma that are associated with hops in beer. The amount of alpha acid is usually expressed as a weight percent, and is determined by extractive and chromatographic methods.

History

Many varieties of hops are known, though they are generally divided into two subsets: aroma and bittering hops, although some are considered to be "dual-purpose." The finest of the aroma hops are referred to as "noble," due to their prized aromatic and subtle bittering properties; the noble varieties include Saaz, Spalt, Tettnanger, and Hallertauer Mittelfrüh, although some sources list other varieties. Aroma hops are generally lower in alpha acid content, but contribute desirable flavor and aroma characteristics. Bittering varieties are higher in alpha acid content, but their flavor and aroma characteristics are generally considered to be less refined. There are no hard and fast rules about aroma, bittering, and dual-purpose hops; the categorization is subjective. Generally, aroma hops consist of such varieties as Saaz, Tettnanger, Hallertauer, Spalt, East Kent and Styrian Goldings, Fuggles, Cascade, Willamette, Liberty, Crystal, Ultra, and Mount Hood. Bittering varieties include Brewer's Gold, Nugget, Chinook, Eroica, Galena, and Bullion. Dual-purpose varieties include Northern Brewer, Columbus, Cluster, Perle, and Centennial, among others.

Hops were introduced in beer making prior to 1000 A.D., and came into widespread use in the 16th century when they were legislated as a required ingredient in the famous Reinheitsgebot, or German Beer Purity Law of 1516. Hops are still grown in many of the traditional regions, such as the Zatec region of the Czech republic, home of Zatec Red, or Saaz variety. Hop varieties have been enriched through intensive cross-breeding, which has given us many of the newer, disease-resistant varieties.

Bitterness arises from the alpha acids, which consist of humulone, cohumulone, and adhumulone; the proportions of each will vary according to hop variety. They are isomerized into iso-alpha acids in a vigorous boil, rendering them much more soluble in the wort, in addition to increasing their bitterness. The essential oils, which contribute to flavor and aroma of the finished beer, consist of dozens of compounds. Many of these are volatile, and hence do not survive extended boil times. For this reason, flavor and aroma hops are generally added during the last 30 minutes of the boil.

Brewing hops are available in many forms: whole hops, plugs, pellets, and extracts. Whole hops are simply dried hop cones, and are the most traditional form of hops. Plugs (also known as type-100 pellets), are whole hops compressed into 1/2-ounce (15 gram) disks. Pellets are ground into powder,

and then extruded through a die. Hop extracts include isomerized extracts, which may be used to add bitterness; hop aroma essences are also available.

Bitterness from hops

The bitterness imparted by hops is quantified in various ways, with varying degrees of precision. The simplest method is the Alpha Acid Unit (AAU), also known as the Homebrew Bittering Unit (HBU). This basic measure is simply the weight of hops in ounces (one ounce = 28.35 grams) times the alpha-acid content, expressed as a percent. In order to be meaningful, the brew length must be specified when using AAUs or HBUs. The main downfall of the AAU/HBU quantification method is that it describes the potential bitterness without accounting for many critical factors which determine the actual bitterness.

The more precise method of quantifying hop bitterness is the International Bittering Unit, or IBU. The IBU is a measure of the concentration of isomerized alpha acids present in the finished beer, and is expressed in milligrams per liter, or parts per million (ppm). The relationship between the quantity of hops used and the IBU level depends on many factors: length of the boil, wort gravity, vigor of the boil, wort pH, age/condition of hops, hop form (whole, plugs, or pellets), hopping rate, plus several other less important elements. The relative IBU level does not always translate directly to the perceived bitterness of the finished beer. The ionic makeup of the brewing water, particularly carbonate and sulfate levels, directly affect the perception of bitterness. The degree of attenuation also plays a role in the amount of bitterness that is needed to reach a balance for a given style.

The IBU content of a beer may be expressed as: $IBU = 7489 \times (W \times A \times U)/V$, where 7489 is a conversion from milligrams/liter to ounces/gallon, W is the weight of hops in ounces, A is the alpha acid content as a decimal, U is a percent utilization factor, and V is the final volume of beer, in gallons. [In metric, this formula is $IBU = 1000 \times (W \times A \times U)/V$ where 1000 is a conversion from milliliters to liters, W is the weight of hops in grams, A is the alpha acid content as a decimal, U is a percent utilization factor, and V is the final volume of beer in liters.] The most important variable in the equation is the utilization factor, which depends on the aforementioned parameters. Utilization normally tops out at about 30 % in the home brewery; often, it is significantly lower. Some additional factors which affect the value of U are boiling temperature, whether or not hop bags are used, and filtration losses. U is the product of all correction factors and may be estimated by any of several methods for each set of conditions. In any case, a different utilization is typically assumed for each hop addition (when multiple additions are used); in this manner, the IBU contribution for each hop addition may be estimated, and then totaled. It should be noted that the only way to determine the IBU level in the finished beer is through a direct measurement in the laboratory.

The relationship between the various correction factors and hop utilization is often not simple, but certain tendencies are well known. Utilization is reduced by: reducing the contact time of hops with boiling wort; reducing the boiling temperature of the wort; increasing the wort gravity; using whole hops instead of pellets; increasing the hopping rate; using hop bags to contain the hops during the boil; using older hops; decreasing wort pH; using more flocculent yeast; and filtering the beer. Some bitterness is also lost to oxidation or staling of the finished beer.

The desired level of bitterness, as measured by IBUs, varies widely for different styles. For example, an Oktoberfest would be expected to have about 20 to 28 IBU, while a Bohemian Pilsener might have 35 to 45 IBU. Each style has different bitterness, flavor, and aroma expectations; only the α -acid level may

be accurately quantified. Another way to characterize the bitterness of a given style is the BU:GU ratio introduced by Ray Daniels. This is simply the IBU content divided by the last two digits of the original specific gravity.

Hops are often added at different points in the brewing process, with the goal of contributing bitterness, flavor, or aroma to the finished beer. Bittering hops are usually most efficient at yielding their iso-alpha acids with 60 to 90 minutes of vigorous wort boiling. Hops boiled for 10 to 40 minutes are often referred to as "flavor hops," since they contribute less bitterness, but retain some essential oils which contribute characteristic flavors. Hops added at or near the end of the boil contribute little or no bitterness, some flavor, and aromatic quality to the finished beer. Hops added during or after fermentation ("dry" hops) contribute a fresh hop aroma.

Hop-derived compounds can also be altered in the finished beer. Oxidation (staling) reduces bitterness, and may also add a harsh edge to flavor, as well as diminishing aroma. One of the most well known hop-derived off flavors is that of skunkiness. This phenomenon is usually ascribed to light exposure, and is often described as "lightstruck;" however, it has been demonstrated that the free-radical reaction may be initiated by heating/cooling cycles, as well. The offending compound, prenyl mercaptan, results from the combination of a 3-methyl-2-butene radical (derived from an iso- α -acid) with a thiol radical (present in malt constituents).

First wort hopping

The newly re-discovered technique of first wort hopping is also gaining favor among homebrewers. It essentially consists of adding a portion of the hop charge (some insist that most or even all of the hops should be added at this point) to the first sweet wort runnings from lautering, during which time the higher pH is thought to extract some of the finer qualities of the hop flavor. The hops are kept with the wort throughout the boil, and contribute a more refined bitterness, though the exact amount is a matter of debate. What is beyond debate is the fresh hop flavor imparted by first wort hopping; some have speculated on possible formation of stable complexes, or perhaps esters, at the temperature range encountered in the mash runoff. Another possibility is the removal of undesirable, somewhat volatile constituents during the extended heating and boiling time; this coincides with the observation that even with increased IBU levels provided by first wort hopping, the resulting bitterness is usually described as smoother and more pleasant. Surprisingly, the technique also contributes aroma; in fact, first wort hopping has been suggested as a replacement for late hop additions. Less clear is how the aroma boost compares to dry-hopped aroma. The technique is an old German method that was originally used for hop-centered styles, such as Pilsener; recently, it has gained favor for a wide range of homebrewed styles. It was originally intended as a means for extracting more bitterness, and it has been found (analytically) to provide a favorable bittering and flavor compound profile.

Varieties

Hop varieties are often associated with particular beer styles; in fact, some styles are virtually defined by their hop character. British ales are normally associated with native hop varieties (East Kent Goldings, Northern Brewer, and Fuggles, for example), and most are expected to embody the characteristic flavor and aroma attributes associated with these hop varieties.

Continental styles, particularly the more hop-oriented ones, are also often associated with more local Continental hop varieties. Bohemian Pilseners, for example, are partially defined by the characteristic

spicy Saaz aroma and flavor. On the other hand, German Pilseners are more usually associated with German hop varieties, such as Tettnanger, Hallertauer Mittelfrüh, and Spalt. Altbiers, although often subdued in hop aroma and flavor, are also normally associated with the bitterness attributes that arise from the use of low-alpha ("aroma") hops. Even the less hop-accented styles, such as bock or Oktoberfest, benefit from the additional flavor complexity that the judicious use of Continental low-alpha hop varieties provides.

American styles, especially such hoppy examples as American pale ale and American brown ale, benefit greatly from the floral, citrusy character of the dominant American varieties such as Cascades, Centennial, Columbus or Chinook. In fact, it is often the hop character that sets these styles apart from their European prototypes.

It is important to note that the region of cultivation is as important as the hop variety in determining the character of the crop. Classic European hop varieties grown in a different climate in the United States exhibit different characteristics than the same varieties grown in European soil. Therefore, the place of origin is every bit as important as the genealogy when selecting the appropriate hop variety for a particular application.

Further Reading

- 1. Haunold and G. Nickerson, "Factors Affecting Hop Production, Hop Quality, and Brewer Preference," *Brewing Techniques*, vol. 1, no. 1, 18-24 (1993).
- 2. Mark Garetz, "Hop Storage: How to Get--and Keep--Your Hops' Optimum Value," *Brewing Techniques*, vol. 2, no. 1, 26-32 (1994).
- 3. Glenn Tinseth, "The Essential Oil of Hops: Aroma and Flavor in Hops and Beer," *Brewing Techniques*, vol. 2, no. 1, 33-37 (1994).
- 4. VanValkenburg, "A Question of Pedigree--The Role of Genealogy in Hop Substitutions," *Brewing Techniques*, vol. 3, no. 5, 54-59 (1995).
- 5. Don Put, "Home Brewery Basics: The Pursuit of Hoppiness--Part I: From Farm to Market to Brewery, Hops Lead a Fascinating, Delicate Life," *Brewing Techniques*, vol. 4. no. 2, 12-19 (1996).
- 6. Don Put, "Home Brewery Basics: The Pursuit of Hoppiness--Part II: The Care and Feeding of Hops in the Brewhouse," *Brewing Techniques*, vol. 4. no. 3, 18-23 (1996).
- 7. W. Lemmens, "Hops in America: a 20-Year Overview," *Brewing Techniques*, vol. 4, no. 6, 56-65 (1996).
- 8. Jim Busch, "How to Master Hop Character--Exploring Hop Flavors and Aromas for More Targeted Recipe Formulation," *Brewing Techniques*, vol. 5, no. 1, 30-33 (1997).
- 9. Mark Garetz, "Boost Hop Bouquet by Dry-Hopping," Zymurgy, vol. 16, no. 2, 42-52 (1992).
- 10. The Classic Guide to Hops, Zymurgy, vol. 20, no. 4 (1997).
- 11. George Fix, Principles of Brewing Science (Brewers Publications, Boulder, CO, 1989).
- 12. Gregory J. Noonan, Brewing Lager Beer (Brewers Publications, Boulder, CO, 1986).
- 13. Gregory J. Noonan, New Brewing Lager Beer (Brewers Publications, Boulder, CO 1996).
- 14. Dave Miller, <u>The Complete Handbook of Homebrewing</u> (Garden Way Publishing, Pownal, VT, 1991).
- 15. Mark Garetz, *Using Hops: The Complete Guide to Hops for the Craft Brewer* (Hop Tech, Danville, California, 1994).
- 16. Ray Daniels, <u>Designing Great Beers-The Ultimate Guide to Brewing Classic Beer Styles</u>, (Brewers Publications, Boulder, CO, 1996).

17. Randy Mosher, <u>The Brewer's Companion</u>, Alephenalia Press, 1994.

E. Yeast and Fermentation

by Chuck Hanning and Scott Bickham

Introduction

Most beer styles are made using one of two unicellular species of microorganisms of the *Saccharomyces* genus, more commonly called yeast. Generally, either an ale yeast strain (known as *S. cerevisiae*) or a lager yeast strain (known as *S. pastorianus* or by older terminology *S. carlsbergensis* or *S. uvarum*) is used for the appropriate style. Functionally these yeasts differ in their optimum fermentation temperatures, ability to ferment different sugars, environmental conditions, and ability to settle out upon completion of fermentation, and production and/or metabolism of fermentation by-products. The choice of the strain of ale or lager yeast and how these factors are controlled during the various stages of fermentation will determine how well a beer is made to style. While a list of all the possible strains is beyond the scope of this guide, readers are encouraged to review reference (1) for a more thorough review. Most yeast suppliers provide detailed descriptions of the various commercial strains they carry (2), as do homebrew shops or other retailers of their products.

One of the common terms used to describe yeast is apparent attenuation. The attenuation of a particular yeast strain describes its ability to decrease the original gravity of wort upon fermentation. It is commonly listed as a percent, in which the numerator is the difference between final and original gravity and denominator is the original gravity. Because the density of ethanol is less than water, when a hydrometer is used to measure this attenuation, it will be measuring the apparent attenuation not the real attenuation (if the alcohol was replaced by water). Another common term used to describe different yeasts is flocculation, which is the ability of the yeast to settle out of the beer upon completion of fermentation; it can vary significantly with strain.

The environmental conditions that differ with each yeast type and strain are alcohol tolerance, oxygen requirements, and sensitivity to wort composition. Alcohol tolerance describes how well a yeast strain will continue to ferment as the alcohol concentration increases during fermentation. Most lager yeast can ferment up to about 8% alcohol by volume, and some ale strains can ferment up to 12% (2, 3). Oxygen requirements can differ with each strain as well; some need much more oxygen to be able to ferment without problems. Lastly, different worts will have different relative amounts of sugars present. The various strains can respond differently to the same wort upon fermentation.

The by-products that are produced (and also metabolized) by the yeast are esters, fusel alcohols, diacetyl, and sulfur compounds. Esters are produced by yeast combining an organic alcohol and an acid. While approximately 90 different esters have been identified in beer, ethyl-acetate, isoamyl-acetate and ethyl-hexanoate are most commonly above their flavor thresholds. These impart a fruity, sweet aroma to the beer. Another by-product of fermentation is fusel alcohols, which contain more carbon atoms than the most common alcohol, ethanol. These are produced by the metabolism of amino acids (4), and tend to add harsher, more solvent-like tones the beer. Yet another by-product is diacetyl, which is generally reduced to more benign compounds during the secondary fermentation, but premature removal of the yeast (among other things) can lead to elevated levels. Its presence imparts a buttery note to the beer. It is produced by an oxidation reaction, which can be repressed by the production of the amino acid valine (5). Lastly, there are several sulfur compounds that can be produced by the yeast. One of these is hydrogen sulfide, which smells like rotten eggs. Other sulfur compounds exist, but their production is not yet completely understood (1).

Ale Yeast, for the purposes of beer fermentation, tend to work best in the 55-75 °F (13-24 °C) temperature range. Apparent attenuation can range from 69 to 80%. These yeasts can fully ferment the common sugars glucose, fructose, maltose, sucrose, maltoriose and the trace sugars xylulose, mannose, and galactose. They can partially ferment raffinose. These yeasts have traditionally been called top fermenting because they form colonies (groups of yeast that cling together) that are supported by the surface tension of the beer. Ale yeasts produce esters since they require higher temperatures to remain active. Styles that use these yeasts have varying degrees of fruity and sweet smelling aromas. It should be noted that the yeast used to produce the German weizen style are special strains that generate high concentrations of the clove-like phenols and "bubblegum" and "banana" esters, which are the signatures of this style.

Lager Yeast generally tend to work best between 46-56 °F (8-13 °C), but California Common Lager yeast is an exception, having a range of 58-68 °F (14-20 °C). Apparent attenuation usually ranges from 67-77%. Lager yeasts can ferment raffinose in addition to the sugars that are fermentable by ale yeasts. These yeasts have traditionally been called bottom fermenters, since they do not cling together to form colonies on the surface, but instead fall to the bottom of the fermenter. Lager yeasts can be further subdivided into the Frohberg type (also called dusty or "powdery") which ferment quickly, and do not flocculate as well. Due to the longer time it remains suspended in the wort, this subtype will have a greater attenuation. The other subtype of lager yeast is the Saaz type (also called the S.U. or "break"). These strains tend to flocculate more readily, and hence tend to have a lower attenuation (6). Lager yeasts, in comparison to ale yeasts, produce beers that lack the esters and fusel alcohols, since they are active at cooler temperatures. Lager beer styles should have a cleaner aroma to them, reflecting only the malt and /or hop aromas used to make the wort.

Bacteria, specifically *Lactobacillus delbrückii*, are used in the production of the Berliner Weiss style of wheat beer with an intense lactic sourness. Other microorganisms are also used in the production of some Belgian ales, specifically lambics. Lambics have varying degrees of sourness which is appropriate for their style. Yeasts of the *Brettanomyces* genus and various bacteria generate these flavors. Bacteria are commonly divided into two broad classes based on a laboratory Gram stain. The Gram-negative bacteria involved in lambic production are *Escherichia coli* and also various species of *Citrobacter* and *Enterobacter*, but fortunately they cannot tolerate even moderate alcohol levels and do not survive in the finished beer. The Gram-positive bacteria involved are from genus *Pediococcus* and *Lactobacillus*. These microorganisms use a different pathway than that of *Saccharomyces* yeast known as a mixed acid fermentation pathway. It involves the esterification of the various alcohols to the corresponding carboxylic acids, thus generating lactic sourness (7). At low contamination levels, these Gram-positive bacteria may also be responsible for the sweet, butterscotch or buttery notes associated with diacetyl and related vicinal diketones.

The Yeast Life Cycle

When yeast are pitched into fresh wort, the overall process of fermentation can be divided into several stages or phases, all of which are part of the life cycle. While these stages can each be described separately, the transitions between each are continuous and should not be thought of as distinct parts of the life cycle. Also the relative time spent in each phase depends on several factors including the composition of the wort, the environment and the amount of yeast pitched. Most technical brewing references break the yeast life cycle into five phases of growth: lag, accelerating, exponential, decelerating and stationary (8, 9). Readers familiar with earlier versions of the BJCP Study Guide may

recall that prior to this revision, the growth phase was referred to as a distinct phase in yeast development. Although that notation is consistent with some homebrewing references, the five phases listed above are more common in microbiology textbooks and technical brewing references.

The first phase of the cycle is called the <u>lag phase</u>, which is sometimes referred to as the latent phase. During this time the yeast will adapt to the new environment they are now in and begin to make enzymes they will need to grow and ferment the sugars in the wort. The yeast will be utilizing their internal reserves of energy for this purpose, which is the carbohydrate glycogen. The yeast will acclimatize itself and assess the dissolved oxygen level, the overall and relative amounts of the amino acids and the overall and relative amounts of sugars present. Some of these amino acids, small groups of amino acids called peptides, and sugars will be imported into the cell for cell division. Normally this period is very brief, but if the yeast is not healthy, this period can be very protracted, and ultimately lead to problematic fermentation (1, 10).

Based on these factors, the yeast will then move into the next phase of the life cycle, the <u>accelerating</u> <u>phase</u>. This is sometimes referred to as the <u>low kräusen stage</u>. During this time the yeast will start to divide by budding to reach the optimal density necessary for the true fermentation. The rate of cell division continuously increases during this phase. If an adequate amount of healthy yeast has been pitched and the proper nutrients are present, there should only be one to three doublings of the initial innoculum. The oxygen that was used to aerate the wort is absorbed during this time to allow the yeast to generate sterols, which are key components of the cell wall (10). It has also been proposed that cold trub can provide the unsaturated fatty acids needed for sterol synthesis (11, 12). Furthermore, it has been proposed that if an adequate amount of yeast has been pitched, such that cell growth is not necessary, then the oxygenation is not necessary (10, 13). While this theory has not been completely accepted (14, 15), perhaps further research will elucidate other variables which may be involved in this phenomenon. This sterol synthesis is the default pathway used in an all malt wort; however if the wort contains greater than 0.4% glucose then this pathway will not be used and the yeast will instead ferment the glucose, even in the presence of oxygen. This effect is called glucose repression, or the Crabtree effect.

During the <u>exponential phase</u>, the growth rate is constant at the maximum rate determined by the yeast strain, temperature and wort composition. This phase is also referred to as the logarithmic (log) or the <u>high kräusen phase</u>. The yeast have now completely adapted to the condition of the wort, and the transport of both amino acids and sugars into the cells for metabolism will be very active. During this period, esters are formed by the esterification of fatty acids by ethanol and also possibly by the esterification of higher alcohols. Fusel alcohols can be produced by the conversion of amino acids to higher alcohols, the brewer should ensure that: (a) a healthy amount of freely available nitrogen (FAN) is available in the wort, (b) the wort is chilled to a maximum of 75 °F (24 °C) for ales and 55 °F (13 °C) for lagers prior to pitching the yeast, (c) the chilled wort is sufficiently but not excessively aerated prior to pitching the yeast, and (d) the fermentation temperature is maintained within the optimum range for the yeast strain.

The fourth stage of the yeast life cycle is the <u>deceleration phase</u> or <u>late kräusen phase</u>, during which the growth rate gradually decreases. At this point, ale yeast strains will have metabolized most of the sugars present in the wort. Lager yeast strains, on the other hand, may still be reducing the extract by four gravity points/day, and this is important because it is during this time that the yeast begin to metabolize some of the fermentation by-products they had previously excreted during the low kräusen

phase. Specifically, a diacetyl rest may be performed to help with the re-absorption and subsequent reduction of the diacetyl and the related diketones during this time. The temperature of the beer may be allowed to rise up to 68 °F (20 °C) during the diacetyl rest.

The final stage is the <u>stationary phase</u>, during which the number of yeast cells remains approximately constant. The kräusen begins to fall, and the yeast drop out of suspension, or flocculate. During this deceleration phase, the specific gravity of the beer approaches its terminal point, and the yeast will begin to flocculate. This is the optimum time to rack the beer into a secondary fermenter, which allows for the attenuation of the last remaining extract, usually consisting of the trace sugars. Also removal of the excess yeast and trub will prevent formation of off flavors due to autolysis and/or reactions with trub substrates. For ale styles this period may be very brief, while lager styles may be four to six weeks, or even as long as six months in the case of strong lager styles. When lagering, it is important not to chill the beer too quickly, which might cause premature flocculation before the fermentation has been completed and all the by-products have been reabsorbed. The general rule of thumb is that a temperature drop should be no more than 5 °F (3 °C) per day; otherwise it is possible to cold shock the yeast. It is also important during this time to prevent reintroduction of air, since this can lead to oxidation flavors and may introduce contaminants that can infect the beer.

During packaging of the beer, fresh yeast may often be reintroduced, particularly if it has been lagered for an extended period of time and/or the remaining yeast are not that viable. Two common methods are 1) bottle conditioning, or the addition of a fresh yeast starter and corn sugar (glucose), as is commonly done for Trappist-style Belgian ales, and 2) kräusening, or the addition of freshly fermenting beer as is often practiced with German lagers. For bottle conditioned beers, a 250 ml starter is usually added for a five gallon (20 liter) batch along with the sugar; which provides fresh yeast to metabolize the added sugar. In the case of kräusening, an actively fermenting batch at high kräusen stage is added to the beer being primed. The volume of kräusen added is typically 20% by volume of the beer being primed. Adding this actively-fermenting beer serves two purposes; it carbonates and also helps clean up any off flavors generated from the previous fermentation.

Control of Fermentation By-Products

Esters may be controlled by the choice of yeast strain, wort gravity, wort aeration, and fermentation temperature. In general, ale yeast strains produce higher ester levels, although there are variances among different ale strains. Lager yeast strains can, if fermented too warm, also produce esters as is practiced in the making of French Bière de Garde styles. Wort gravity also is a factor; the hallmark esters of Belgian Trappist styles are not only due to the yeast strains used but also a result of their high gravity wort. Wort aeration also plays an important role, as the ester production pathway directly competes with the absorption of oxygen and metabolism into sterols (16). Lastly, fermentation temperature also plays an important role. A four-fold increase in ester production may be observed as a result of increasing the fermentation temperature from 60 to 68 °F, 16-20 °C (1).

Phenols can be produced by certain wild yeast strains. Hence, their control in styles in which they are not desired is a matter of proper sanitation. The one exception to this is German wheat beers, which contain the phenol 4-vinyl guaiacol, which is produced by a special strain of *S. cerevisiae*, from its precursor amino acid, ferulic acid. This phenol may be controlled by the amount of precursor amino acid that is made in the mash during a protein rest at 111 °F, 44 °C (17).

Fusel alcohols are metabolized from amino acids. As mentioned previously, their production is increased as the fermentation temperature is increased. Also, like esters, fusel alcohols increase with wort gravity. Lastly, various wild yeasts tend to produce excessive amounts of fusel alcohols; hence, proper sanitation is important for their reduction (1).

Diacetyl precursors are produced during yeast metabolism, but they are not converted into diacetyl until the active stages of fermentation. Factors that increase the probability of this occurring include higher fermentation temperatures and the introduction of oxygen, but the yeast strain is also an important consideration. Diacetyl and related compounds can only be removed by the yeast, and only through the conversion to the nearly flavorless compound, butanediol. Several factors can help with this process, including maintaining a sufficiently high fermentation temperature during the decelerating and stationary phases. As noted above, higher fermentation temperatures also promote the formation of diacetyl, but the effect on the reduction is even greater, so the net result is a lower level of diacetyl in the finished beer. This is often a confusing dichotomy for beer judges, but it is the key motivation for performing a diacetyl rest for a lager beer style. Diacetyl reduction is also highly dependent on ensuring that the yeast remains in contact with the beer, so premature removal of the beer from the yeast can also lead to an elevated diacetyl level. Finally, as noted above, diacetyl can be produced by Gram-positive bacteria, hence proper sanitation and control during yeast propagation will help minimize its presence (1).

References

1. G. J. Fix & L. A. Fix, <u>An Analysis of Brewing Techniques</u> (Brewers Publications, 1997).

2. Information about specific strains is available from most yeast suppliers, including Wyeast (<u>http://www.wyeastlab.com</u>) White Labs (<u>http://www.whitelabs.com</u>).

- 3. J. Busch, "A Matter of Immense Gravity", <u>Brewing Techniques</u> 4(2), 20 (1996).
- 4. G. J. Fix, Principles of Brewing Science (Brewers' Publications, 1989).
- 5. G. J. Fix, "Diacetyl: Formation, Reduction and Control" <u>Brewing Techniques</u> 1(2), 20 (1993).
- 6. G. J. Noonan, New Brewing Lager Beer, Brewers' Publications, pp. 89-99 (1996)
- 7. J. Liddil, "Practical Strategies for Brewing Lambic at Home", <u>Brewing Techniques</u> 5(4),38 (1997).

8. <u>Malting and Brewing Science, Vol. II,</u> ed. J.S. Hough, D.E. Briggs, R. Stevens and T.W. Young, p. 617 (Chapman and Hall, London, 1982).

9. W. Kunze, <u>Technology Malting and Brewing</u>, p. 80 (VLB, Berlin, 1996).

10. J.-X. Guinard, M. Miranda, & M. J. Lewis, "Yeast Biology and Beer Fermentation", <u>Zymurgy</u> **12**(4), 14 (1989).

11. T. Aquila, "The Biochemistry of Yeast" <u>Brewing Techniques</u> 5(2) pp. 50-57 (1997)

12. G. W. Knull, "Readers' Technical Notes: The Trouble with Trubless Fermentations", <u>Brewing</u> <u>Techniques</u> **4**(5), 14 (1996).

13. P. Daughty, J. Adkins, and S. Bickham respond to reference 13 in Readers' Technical Notes, <u>Brewing Techniques</u> **5**(1), 16 (1997).

14. G. J. Noonan, Scotch Ale (Brewers Publications, 1993).

15. D. Miller, "Readers Technical Notes: Putting in a Good Word for Wort Aeration", <u>Brewing</u> <u>Techniques</u> **5**(3), 10 (1997).

16. P. Rajotte, <u>Belgian Ale</u> (Brewers' Publications, 1992).

17. E. Warner, <u>German Wheat Beer</u> (Brewers Publications, 1992).

F. Troubleshooting

by Scott Bickham

Introduction

This section is intended to give an overview of the more important flavors and flaws that may be encountered while judging. Some of these flavors may be appropriate in some styles, but not in others, and the desirability will depend on the concentration. For this reason, not all of these characteristics are considered to be off-flavors. There are several references that offer a more detailed description of potential flavor and appearance flaws in beer. Most homebrewing handbooks discuss them in appendices, and although it is somewhat outdated, the 1987 *Zymurgy* Special Issue on Troubleshooting is worth reading. The more technically-inclined reader should consult George Fix's <u>Principles of Brewing Science</u> and George and Laurie Fix's <u>Analysis of Brewing Techniques</u>. Finally, *Brewing Techniques* ran a Focus on Flavors column through 1998 that described the flavors that appear on the Beer Flavor Wheel.

Acetaldehyde

This compound has the taste and aroma of fresh-cut green apples, and has also been compared to grass, green leaves and latex paint. It is normally reduced to ethanol by yeast during the secondary fermentation, but oxidation of the finished beer may reverse this process, converting ethanol to acetaldehyde. Elevated levels are generally present in green beer or if the beer is prematurely removed from the yeast. It can also be a product of bacterial spoilage by *Zymomonas* or *Acetobacter*. Background levels of acetaldehyde can be tasted in Budweiser due to the use of beechwood chips to drop the yeast before it can be reduced to ethanol.

This can also be the result of inadequate wort oxygenation, though the resultant yeast byproducts are normally metabolic intermediates they can remain after fermentation in some cases.

Alcoholic

This flavor may be detected as a spicy, vinous character in the aroma and taste and is often accompanied by a warm or prickly mouthfeel. The simplest and most prevalent alcohol in beer is ethanol, which is produced by the fermentation of glucose and other reducing sugars. Higher, or fusel, alcohols are usually present at sub-threshold concentrations, but elevated levels are associated with underpitching, low levels of dissolved oxygen prior to pitching or low levels of free available nitrogen (FAN). These deficiencies force the yeast to metabolize fatty acids in the trub as a source of oxygen and carbon, producing a greater fraction of long chain alcohols. High gravity worts and high fermentation temperatures also tend to increase the concentration of these higher alcohols through increased yeast activity. Alcoholic characteristics are desired in strong ales and lagers as long as they are not coupled with the solvent notes associated with elevated ester or fusel alcohol levels.

Astringency

This flavor is a mouth-puckering sensation that is comparable to chewing on grape skins or grape seeds. It is often produced by the extraction of tannins from grain husks due to overcrushing, oversparging, or

sparging with water with a pH over 6.0 and a temperature higher than 170 °F (77 °C). Astringency may also be produced by polyphenols that result from spoilage by acetobacter or wild yeast. Another possible source is oxidation, in which case the responsible compounds are polyphenols and aldehydes. Finally, spices such as coriander, orange peel and cinnamon also contribute astringent flavors, but these tend to mellow with age. Note that over-attenuation and low dextrin levels can increase the perception of astringency.

Bitterness

Bitterness, or rather excessive bitterness, is perceived as a harsh dry taste mostly on the back of the tongue. It is usually due to over-hopping, especially when high alpha hops are used. Roasted malts and high concentrations of magnesium and sulfate ions also contribute to the overall bitterness. Bitter compounds may also be produced by oxidation or contamination by wild yeast, in which case there are usually other off-flavors. High levels of hop bitterness are appropriate in IPAs and barleywines, while bitterness due to roasted barley/malt is appropriate in robust porters and dry stouts.

Body

The body of a beer is characterized as its fullness, viscosity, or thickness on the tongue and palate; descriptors range from watery or characterless to satiating or thick. Body is a component of mouthfeel, which encompasses physical sensations such as astringency, alcoholic warmth and carbonation; the combination of all those components determines how the beer stimulates the palate. The body is determined by the levels of dextrins and medium-length proteins. Lack of dextrins is caused by low saccharification temperatures, excessive use of adjuncts or by highly attenuative yeast strains. A low protein level may be caused by excessively long protein rests, excessive fining or the addition of large amounts of fermentable sugars. Light body is appropriate in American light lagers and lambics, but not in strongly malt-accented styles such as barleywines, Scotch ales, and doppelbocks.

Diacetyl

This compound is responsible for an artificial butter, butterscotch or toffee-like aroma and taste. At low levels, it may also produce a slickness on the palate. A significant number of tasters cannot perceive diacetyl at any concentration, so every judge should be aware of his or her limitations. Diacetyl is a fermentation by-product which is normally absorbed by the yeast and reduced to more innocuous diols. High levels can result from prematurely separating the beer from the yeast or by exposure to oxygen during the fermentation. Low FAN levels or mutation may also inhibit the ability of yeast to reduce diacetyl. Note that high fermentation temperatures promote both the formation and elimination of diacetyl, but the latter is more effective. For that reason, lager breweries often employ a diacetyl rest, which involves holding the beer in the 60-65 °F (15-18 °C) range for a few days after racking to the conditioning tank. Diacetyl is also produced by lactic acid bacteria, notably *Pediococcus damnosus*. Low levels of diacetyl are permissible in nearly all ales, particularly those brewed in the United Kingdom, and even some lagers, notably Czech pilseners.

Though rarely used by homebrewers, kräusening is a technique that can be used to eliminate diacetyl in beer. The technique works because of the introduction of fresh yeast that is actively multiplying and is thus able to rapidly remove diacetyl.

DMS

DMS, or dimethyl-sulfide produces the aroma and taste of cooked vegetables, notably corn, celery, cabbage or parsnips. In extreme cases, it may even be reminiscent of shellfish or water in which shrimp has been boiled. DMS is normally produced by the heat-induced conversion of S-methyl-methionine (SMM), but most of this evaporates during a long, open, rolling boil. A short, weak or closed boil, or slow cooling of the wort may therefore lead to abnormally high levels. Some DMS is also scrubbed out during a vigorous fermentation, which is why lagers and cold-conditioned ales may have slightly higher levels than warm-fermented ales. Wild yeast or *Zymomonas* bacteria may produce high enough levels of DMS to make the beer undrinkable. Pilsner malt contains as much as 8 times the SMM of pale malt, so Pils-based beers sometimes have a DMS character; this is a much more common cause in most beer than a covered boil. Low levels of DMS are appropriate in most Pils-based lagers, particularly American light lagers and Classic American Pilsners, but are not desirable in most ale styles (Cream Ale is a notable exception).

Estery/Fruity

This is an aroma and taste that recalls bananas, strawberries, pears, apples, plums, papaya and/or other fruits. The responsible compounds are esters, which are formed from the combination of an alcohol and an organic acid. High ester levels are a product of the yeast strain, high fermentation temperature, high gravity worts, the metabolism of fatty acids in the trub, low yeast pitching rate, and low wort aeration. These flavors are desirable in most ales, particularly Belgian and British styles, and the signature banana notes in Bavarian wheat beers are primarily due to the ester isoamyl acetate. Note that esters often have solvent notes at very high concentrations.

Grassy

This is the flavor and aroma of freshly cut grass or green leaves. Responsible compounds include the aldehydes hexanal and heptanal, which are produced by the oxidation of alcohols in the finished beer or the deterioration of improperly stored malt or hops. Some English and American hop varieties produce grassy notes if used in large quantities, but this flavor should not be a significant part of the profile.

Head Retention

Good head retention is measured in terms of the time required for the head to collapse to half of its initial height. This should be at least a minute in well-brewed and conditioned beers. The beading should also be uniform and tight, leaving lace on the glass as the beer is consumed. Good head retention is promoted by several factors, including isohumulones, high original gravity, alcohol content, dextrins and the levels of high- and medium- molecular weight proteins. Adequate carbonation is also important. Most of these variables are style-dependent, but the brewer can increase the protein content by adjusting the length and temperature of the protein rest and using adjuncts such as flaked wheat and barley. Fatty acids carried over from the trub and unclean glassware are both detrimental to head stability, since they decrease the surface tension of the foam, causing the bubbles to collapse.

Husky/Grainy

This may be perceived in both the aroma and the taste and is reminiscent of the flavor of spent grains. Possible causes include overcrushing, oversparging or sparging with hot or alkaline water. Long mashes may also leach these flavors from the grain husks. Low levels are acceptable in some lagers, but are not appropriate in any ale.

Lightstruck/Skunky

This aroma and taste is due to the presence of the same mercaptans that are found in the scent glands of skunks. These compounds are formed when ultraviolet light cleaves an isohumulone molecule, and the resulting radical combines with a sulfur compound. Beer stored in clear or green glass bottles is more susceptible to this reaction, which is why brown glass offers more protection. Lightstruck flavors are not desirable in any style, but many European imports possess this quality. Note that Miller Brewing is able to use clear glass bottles because they use a chemically modified form of isohumulone that does not interact with light.

Musty

This is a stale aroma and taste associated with the oxidation of malt compounds in the melanoidin family. This oxidation can occur in the mash or boil via hot side aeration or by exposure to air when racking or bottling. The responsible compounds may be later transformed to their reduced state by oxidizing alcohols into aldehydes. Musty flavors are generally not desirable, but may be found in some cellared beer styles such as Bière de Garde.

Paper/Cardboard

These are perceived in both the aroma and flavor and are primarily due to the aldehyde, 2-trans-nonenal. This compound has an extremely low flavor threshold and is produced by the oxidation of higher alcohols. The threat of oxidation may be reduced by minimizing splashing of the hot wort or of the fermented beer while racking or bottling. This flavor is never appropriate and is rare in homebrew due to the reducing power of yeast, but it is a common flaw in many old or abused commercial beers.

Phenolic

This is an aroma and taste often compared to Band-aids (tm), medicine chest or disinfectant. Chlorophenols are particularly offensive members of this family with bleach-like flavors in addition to the ones listed above. High levels of phenols are generally produced by bacteria or wild yeast, both of which indicate a sanitation problem. Phenols may also be extracted from grain husks by overcrushing, oversparging or sparging with hot or alkaline water. Chlorinated water and sanitizer residue are possible sources of chlorophenols. Phenolic flavors are generally never desirable, the exception being the clovelike, vanilla-like or slightly smoky flavors and aromas in Bavarian wheat beers and some Belgian ales.

Sherry-like

This is the aroma and taste of dry sherry and is often accompanied by hazelnut or almond notes. The responsible compounds are oxidized members of the melanoidin family. This flavor is one of the few positive flavors attributed to oxidation and adds complexity to barleywines and old ales. Sherry-like flavors are considered a defect in most other styles, particularly low-gravity ales.

Solvent-like

This describes an aroma and taste similar to turpentine or acetone that is often accompanied by a burning sensation in the back of the mouth. It is due to high concentrations of ethyl acetate and other esters, as well as fusel alcohols. Possible sources include underpitching, lack of oxygen, and fermenting on the trub, especially at elevated temperatures. Contamination by wild yeast may produce elevated levels of both esters and fusel alcohols. Solvent-like notes are generally undesirable, but perceptible levels may be encountered in old ales such as Theakston's Old Peculier.

Sour/Acidic

This is one of the five basic tastes, and is often perceived the most on the sides of the tongue, towards the rear of the mouth. The two most common acids responsible for this flavor are lactic and acetic, which both have related esters that may be perceived in the aroma. Lactic acid is produced by Grampositive bacteria such as *Lactobacillus* and *Pediococcus*, which are present in dust and saliva. Acetic acid may be produced by several contaminants, including *Acetobacter*, *Zymomonas*, and yeast in the *Kloeckera* and *Brettanomyces* families. High levels of sour and acidic flavors generally indicate a sanitation problem, but they are an important part of the profile of the lambic, oud bruin and Berliner weiss styles, and to a lesser extent, Belgian white beers.

Sulfury/Yeasty

These flavors, not to be confused with DMS, have the aroma and taste of rotten eggs, shrimp or rubber. The compounds responsible for these flavors originate from sulfur-containing amino acids such as cysteine and methionine. Possible sources include yeast autolysis, bacterial spoilage and water contamination. These flavors can be quite putrid and are not desirable in any style. In the same family are sulfitic flavors, which recall the aroma of a struck match. They are usually due to the overuse of antioxidants, and while rare in beer, are quite common in wine and cider.

Sweet

Sweetness is a basic taste perceived most strongly at the tip of the tongue and is due to the presence of reducing sugars. High levels of residual sugars can result from a flocculent or low-attenuating yeast or poor yeast health linked to low FAN levels or low levels of dissolved oxygen prior to pitching. High gravity worts, high dextrin content and the addition of lactose also play a role in determining the sweetness of the finished beer. The appropriate level is style-dependent, with high levels desirable in most strong ales and lagers, and low levels in American light lagers and lambics.